



EXPERIENCE THE TRIFECTA OF INNOVATION. FLEXIBILITY & VALUE.

PROVA Tile Installation Products by M-D PRO® offers a broad assortment of quality products with innovative features that provide simplified and flexible installation options to all who use them. For over 15 years, the PROVA® product line has been providing professionals and consumers with with reliable, flexible and cost-effective solutions that can count on.. With our customer-centric approach and direct relationships with the professional installation segment, the PROVA® selection is intended to cover the most common applications we see in the marketplace today. Our comprehensive line includes:

- * Modular shower systems pans, extensions, and components designed to work together, providing choice and flexibility in creating any shower base design desired!
- Waterproofing systems waterproofing membrane and accessories that have been evaluated by ICC-ES and are and approved for use in intermittent-use steam showers. Waterproofing tile backer board that can be used in a variety of ways for building and substrate purposes. It provides superior strength, rigidity, as well as thermal resistance to help with reduction of thermal transfer and impact sounds.
- ❖ Drain systems with patented mortar adhesion technology guaranteeing a reliable bond between the drain, shower pan, and waterproofing components.
- & Tile underlayment systems with lightweight functionality, "Extra Heavy" service ratings, superior strength, and workability
- Tile trims, nosing and multi-purpose profiles available in anodized aluminum, stainless steel, and PVC in today's most popular finishes. Offerings available for both commercial and residential projects.

At M-D PRO®, we pride ourselves on our personal, customer-first approach to business and our proactive service reputation. We also take this approach with product innovation. PROVA Tile Installation Products® are designed, engineered, and developed in North America and with our North American end users in mind. We ensure that all products meet North American flooring and building standards, and we are committed to innovation that continues to simplify installation processes for our users and provide product selection value to our customers.

For any questions or technical support pertaining to PROVA Tile Installation Products®, please contact our customer service department. Our team of specialists will be happy to assist you. Also, be sure to follow us on social media for installation tips and to stay up to date on new PROVA® product innovations!



M-D PRO® a division of a 100-year-old business, M-D® Building Products, provides the broadest range of Floor Covering & Building Accessories in the industry! Our core business is a traditional line of aluminum and vinyl extruded floor transitional moldings that aid in a spectrum of installation challenges. M-D PRO® has remained committed to providing customers and end user with innovative product lines that include PROVA® Tile Installation Products, M-D Tools, TOWER Sealants. These growing product lines continue to complement M-D PRO® Flooring Accessories, our core line of trims for carpet, ceramic, laminate, vinyl, resilient and hardwood floors.

Technical Service Hotline: 1-888-MDPROVA (1-888-637-7682) 1 800 565 6653 | service@mdteam.com | provaproducts.com






TABLE OF CONTENTS

SHOWER SYSTEMS & COMPO	NENTS —		
PROVA-SHOWER SYSTEM® & COM	IPONENTS	PROVA PINNACLE	PROVA LINEAR SYSTEM® & COMPONENTS
PROVA-SHOWER SYSTEM®	06	PROVA PINNACLE® SHOWER PAN14	PROVA LINEAR SYSTEM®19
PROVA PAN®		PROVA PINNACLE® EXTENSION KIT 14	PROVA LINEAR DRAIN®20
PROVA UNIVERSAL EXTENSION KIT	····09	PROVA PINNACLE® SHOWER CURB 15	PROVA LINEAR DRAIN® GRATE20
PROVA CURB®	09		PROVA LINEAR PAN®20
PROVA DRAIN® PLUS	10	PROVA PAN-MULTI°	PROVA LINEAR PAN EXTENSION® 21
PROVA DRAIN GRATE®		PROVA PAN-MULTI®	PROVA LINEAR PAN KIT® - CENTER DRAIN 21
PRO-SELECT® DRAIN GRATE	12	PROVA PAN-MULTI EXTENSION KIT®17	PROVA LINEAR PAN KIT® - END DRAIN 21
WATERPPOOFING -			
PROVA-MAT*		PROVA BOARD®	
WATERPROOFING MEMBRANE		WATERPROOFING TILE BACKER	PROVA NICHE GLASS SHELF®30
PROVA-MAT®	24	PROVA BOARD®26	PRO-SELECT® CORNER SHELVES 31
PROVA JOINT®	24	PROVA BOARD PAN ASSEMBLY KIT®27	PROVA-SEAL™32
PROVA CORNER®		PROVA NICHE®28	PROVA EZ SPREAD®32
PROVA PIPE SEAL®	25	PRO-SELECT® NICHE SHELVES29	PROVA FASTENERS®33
TILE UNDERLAYMENT SYSTE	MS		
PROVA FLEX-HEAT®	36	PROVA-FLEX®37	PROTEGGA®37
PROVA TILE EDGE — ALUMINUM TILE EDGE			
FLAT TILE EDGE	41	CERAMIC COVE CORNER47	COUNTERTOP/STAIR NOSING53
ROUND TILE EDGE	44	J-MOLDING48	COUNTERTOP CORNER53
ROUND OUTSIDE CORNER	45	CERAMIC ADAPTER	T-MOLDING54
ROUND INSIDE CORNER		CERAMIC REDUCER50	T-MOLDING REDUCER54
SQUARE TILE EDGE		CERAMIC TILE STAIR NOSING	ANTI-SKID STAIR NOSING55
SQUARE CORNER		DECORATIVE TILE STAIR NOSING	CERAMIC EDGE PROTECTION RAMP55
CERAMIC COVE		DUAL-PURPOSE DECORATIVE EDGING52	
STAINLESS STEEL TILE EDGE			
	FC	DOLIND CODNEDC F7	COLLADE CODNEDO
FLAT TILE EDGE		ROUND CORNERS	SQUARE CORNERS58
ROUND TILE EDGE	5/	SQUARE TILE EDGE58	
PVC TILE EDGE			
VINYL TILE EDGE	59	HEAVY DUTY VINYL EDGE - FLAT61	HEAVY DUTY VINYL EDGE -
VINYL J CAP	60	HEAVY DUTY VINYL EDGE - ROUND62	ROUND CORNERS63
EXPANSION JOINT	60		

FINISHES/WARRANTY/INDEX64





into an unfinished bathroom with PROVA® products and discover how the components come together to simplify the installation process!







PROVA-SHOWER SYSTEM®

PROVA-SHOWER SYSTEM®

A complete, easy-to-install waterproofing system for maintenance-free tiled showers.

- · Contains all the components required to build a fully bonded, water-tight shower assembly
- Protects wall cavities against water and vapor penetration
- · Modular sloped pan system provides flexibility in installation and replaces the need for a mortar base
- PROVA-MAT® waterproofing membrane has been evaluated by ICC-ES and can be used in internment-use residential steam showers (when installed over PROVA BOARD®)

PART NO.	TOTAL PAN SIZE	DRAIN PLACEMENT/MATERIAL	GRATE PATTERN/FINISH
TT8206STS05	48" x 48" (122 cm x 122 cm)	Center/ABS	Leagacy Stainless Steel (STS)
TT8209STS05	32" x 60" (81 cm x 152 cm)	Offset/ABS	Leagacy Stainless Steel (STS)
TT8409STS05	48" x 48" (122 cm x 122 cm)	Center/ABS	Leagacy Stainless Steel (STS)
TT8306STS05	32" x 60" (81 cm x 152 cm)	Center/ABS	Leagacy Stainless Steel (STS)
TT8309STS05	32" x 60" (81 cm x 152 cm)	Offset/ABS	Leagacy Stainless Steel (STS)
TT8509STS05	32" x 60" (81 cm x 152 cm)	Center/ABS	Leagacy Stainless Steel (STS)



PROVA-SHOWER SYSTEM®

PROVA-SHOWER SYSTEM®

product information & appropriate application conditions.

Pack Size: 1 Kit

EACH PROVA-SHOWER® KIT INCLUDES:

LABELS	DESCRIPTIONS	SPECS	QTY
		48" x 48" (122 cm x 122 cm) center drain placement or	
Α	PROVA PAN®	32" x 60" (81 cm x 152 cm) center drain placement	1 pc
		or 32" x 60" (81 cm x 152 cm) offset drain placement	
		48" x 48" (122 cm x 122 cm)	
В	PROVA-MAT PAN LINER®	or	1 pc
		32" x 60" (81 cm x 152 cm)	
		135 sq. ft. (12.5 sq. m) - 48" x 48" (122 cm x 122 cm)	
С	PROVA-MAT®	shower kit	1 roll - 48" x 48" shower kit
C PROVA-MAT		108 sq. ft. (10 sq. m) - 32" x 60" (81 cm x 152 cm) shower kits	1 roll - 32" x 60" shower kits
	DDOVA DDAIN®	ADC	
D	PROVA DRAIN® (Stainless steel	ABS or	1 pc
	grate included)	PVC	
		41(0), 01(4), 01(0),	
E	PROVA CORNER®	4-1/2" x 2-1/4" x 3-1/2" (11.43 cm x 5.72 cm x 8.89 cm)	4 pcs - inside corners 2 pcs - outside corners
F	PROVA JOINT®	41' x 5" (12.5 m x 12.7 cm)	1 pc
0	DDOVA DIDE CEAL®	4-3/4" x 4-3/4" (12.07 cm x 12.07 cm)	
G	PROVA PIPE SEAL®	Diameter for pipe opening: 7/16" (1.11 cm)	1 pc
		Diameter for pipe opening. 7710 (1.11 cm)	
			2 pcs in 32" x 60"
н	PROVA CURB®	4-1/2" x 4" x 48"	(81 cm x 152 cm) shower kits
		(11 cm x 10 cm x 122 cm)	1 pc in 48" x 48"



48" x 48" Kit (Center/ABS)



32" x 60" Kit (Offset/ABS Drain)



32" x 60" Kit (Center/PVC Drain)

(122 cm x 122 cm) shower kit








Pack Size: 1 pc

PROVA PAN® is a prefabricated, modular sloped pan that is perforated into sections to provide installation flexibility. The pan replaces the need for a mortar base and can be cut down as needed.

PROVA-MAT PAN LINER® included, PROVA DRAIN® sold separately.









PROVA UNIVERSAL EXTENSION KIT®

PROVA UNIVERSAL EXTENSION KIT

Pack Size: 4 pcs/box

PROVA UNIVERSAL EXTENSION KIT® can be used to extend a PROVA PAN® base to any desired size. Perforated corner edges are easy to cut and allow for flexibility in shower base layouts. Design possibilities are endless when using multiple extension kits!

TT8011EXT04 12" x 36" (30 cm x 91 cm) 1-5/8" (4.1 cm)	Expanded polystyrene





PROVA CURB®


PROVA CLIRR®

Pack Size: 1 pc

PROVA CURB® is a low-profile prefabricated shower curb that can be installed with any shower base. It can be easily waterproofed using PROVA-MAT® waterproofing membrane, and it features a dovetail recess for better mortar adhesion.

PART NO.	SIZE (W x H x L)	MATERIAL
TT8015CRB48	4-1/2" x 4" x 48" (11 cm x 10 cm x 122 cm)	Expanded polystyrene
TT8012CRB60	4-1/2" x 4" x 60" (11 cm x 10 cm x 152 cm)	Expanded polystyrene





PROVA DRAIN

PROVA DRAIN® PLUS

Pack Size: 1 p

PROVA DRAIN® PLUS is a versatile and functional drain system. The adapter ring inclusion connects easily to existing 3-piece/clamping ring drains that are difficult to access or remove, providing time and cost savings! The drain body can also be used without the adapter, making it the perfect choice for any new installation project. Included is a height-adjustable collar and ring for adapting to multiple tile thicknesses.



PART NO. GRATE FINISH / DRAIN MATERIAL PART NO. GRATE FINISH / DRAIN MATERIAL



Stainless Steel (STS)

ABS

TT8105STS03



Stainless Steel (STS) PVC




PROVA-BOND™ Surface Treatment

Featuring proprietary PROVA-BOND™ surface treatment technology for ultimate mortar adhesion & bond strength

PROVA DRAIN® PLUS is also available without the stainless steel drain grate inclusion. Drain grates can be purchased separately, allowing for customization and flexibility. See page 11 for more details.







PROVA DRAINGRATE®

PROVA DRAIN GRATE®

Pack Size: 1 pc

PROVA DRAIN GRATE® is a 304 stainless steel drain grate designed for use with PROVA DRAIN®. The $4" \times 4"$ (10.2 cm \times 10.2 cm) grate is available in six designer finishes to complement today's most popular bathroom hardware fixtures.

* PROVA DRAIN® PLUS sold separately

PART NO./GRATE FINIS	Н
----------------------	---

Stainless Steel (STS)

Chrome (CRM)

TT8204STS04



TT8204CRM04



Brass (BRS) Bronze (BRZ)

TT8204BRS04



TT8204BRZ04



Graphite (GRH) Black (BLK)


TT8204GRH04



TT8204BLK04














PROVA PRO-SELECT

PRO-SELECT® Point Drain Grates designed for use with PROVA DRAIN® PLUS are durable, rust-resistant, and stylish 304 stainless steel grates for any tiled shower. Available in high-end patterns and finishes to effortlessly complement the most popular and contemporary bathroom hardware fixtures. Discover matching PRO-SELECT Corner and Niche Shelves to achieve a polished

- New designs with minimal edge reveal provide an elegant finish to the tile edge
- Matching PRO-SELECT® Niche and Corner Shelves are also available

*PROVA DRAIN® PLUS sold separately				
PATTERN: SQUARE				
PART NO./GRATE FINISH				
Stainless Steel (STS)	Chrome (CRM)			
TT8224STS04	TT8224CRM04			
Matte Black (PBK)	Gold (GLD)			
ТТ8224РВКО4	TT8224GLD04			
PATTERN: BLOOM				
PART NO./GRATE FINISH				
Stainless Steel (STS)	Chrome (CRM)			
TT8225STS04	TT8225CRM04			
TT8225STS04 Matte Black (PBK)	TT8225CRM04 Gold (GLD)			

Note: PROVA® products are to be installed using premium polymer-modified thinset mortar only. Premixed mortar or mastic are not to be used. Installations completed with polymer-modified thinset mortar that meets the most current version of the ANSI A118.15 standard may qualify for a limited lifetime warranty. Refer to the warranty summary page on page 65, installation instructions and technical data sheets for complete product information & appropriate application conditions.



PROVA PRO-SELECT

PRO-SFI FCT® DRAIN GRATE

Pack Size: 1 nc

PRO-SELECT® Point Drain Grates designed for use with PROVA DRAIN® PLUS are durable, rust-resistant, and stylish 304 stainless steel grates for any tiled shower. Available in high-end patterns and finishes to effortlessly complement the most popular and contemporary bathroom hardware fixtures. Discover matching PRO-SELECT Corner and Niche Shelves to achieve a polished look for your shower.

- New designs with minimal edge reveal provide an elegant finish to the tile edge
- Matching PRO-SELECT® Niche and Corner Shelves are also available

*PROVA DRAIN® PLUS sold separately



PATTERN: LEGACY

PART NO./GRATE FINISH

Stainless Steel (STS)	Chrome (CRM)	
TT8223STS04	TT8223CRM04	




TT8223PBK04



TT8223GLD04













PROVA PINNACLE® SHOWER PAN

PROVA PINNACLE® SHOWER PAN


Pack Size: 1 pc

Introducing the PROVA PINNACLE® modular shower pan system. The industry's best out-of-the-box, drop-in-place, EPS foam shower pan with PRE-PAIRED® technology and a twist-and-seal drain (choice of ABS or PVC). It's 100% waterproof, pre-sloped, and ready to tile!

The PROVA PINNACLE® modular shower pan features fold lines intentionally placed away from the drain receiver to eliminate the risk of leaks at the weakest point — the pan section that has the highest potential for moisture damage. The built-in waterproofing and fold-out design ensure a hassle-free, cost-effective, and time-saving installation.

Unfold the possibilities with the PROVA PINNACLE® system and experience up to 25% faster installation compared to the leading products in the industry.

PART NO.	TOTAL PAN SIZE	THICKNESS	DRAIN PLACEMENT	DRAIN MATERIAL
TT8048PAN01	48" x 48" (122 cm x 122 cm)	1.1" (2.8 cm)	Center	ABS
TT8148PAN01	48" x 48" (122 cm x 122 cm)	1.1" (2.8 cm)	Center	PVC
TT8038PAN01	38" x 60" (97 cm x 152 cm)	1-5/16" (3.3 cm)	Center	ABS
TT8138PAN01	38" x 60" (97 cm x 152 cm)	1-5/16" (3.3 cm)	Center	PVC
TT8038PAN02	38" x 60" (97 cm x 152 cm)	1-5/16" (3.3 cm)	Offset	ABS
TT8138PAN02	38" x 60" (97 cm x 152 cm)	1-5/16" (3.3 cm)	Offset	PVC



PROVA PINNACLE® EXTENSION KIT

PROVA PINNACLE® EXTENSION KIT

Pack Size: 2 pc

PROVA PINNACLE® extension kit for use with the 48" x 48" (122 cm x 122 cm) PROVA PINNACLE® shower pan. Featuring PRE-PAIRED® technology, a built-in waterproofing membrane layer, and an overlap flap, it's designed to provide a streamlined installation experience with foolproof protection against moisture damage.

PART NO.	SIZE PER EXTENSION (W x L)	MATERIAL
TT8048EXT02	12" x 48" (30 cm x 91 cm)	Expanded polystyrene

Note: PROVA® products are to be installed using premium polymer-modified thinset mortar only. Premixed mortar or mastic are not to be used. Installations completed with polymer-modified thinset mortar that meets the most current version of the ANSI A118.15 standard may qualify for a limited lifetime warranty. Refer to the warranty summary page on page 65, installation instructions and technical data sheets for complete product information & appropriate application conditions.




PROVA PINNACLE® SHOWER CURB

PROVA PINNACLE® CURB

Pack Size: 1 pc

PROVA PINNACLE® shower curb for use with PROVA PINNACLE® shower pan. Featuring PRE-PAIRED® technology and a built-in waterproofing membrane layer, it's designed to provide a streamlined installation experience with foolproof protection against moisture damage.

PART NO.	SIZE (H x W x L)	MATERIAL
TT8048CRB01	4" x 4-1/2" x 48" (10 cm x 11 cm x 122 cm)	Expanded polystyrene
TT8060CRB01	4" x 4-1/2" x 60" (10 cm x 11 cm x 152 cm)	Expanded polystyrene







With PRE-PAIRED® system components combining 100% waterproofing protection with drain receiver and leak-proof fold lines.







PROVA PAN-MULTI®


PROVA PAN-MULTI®

Pack Size: 1 pc

PROVA PAN-MULTI® is a one-pan solution for curbed or curbless shower installations. Choosing a curbless application is ideal for accessible showers and open-concept aesthetics. The prefabricated sloped pan replaces the need for a mortar base, and its perforated sections make it easy to install.

*PROVA-MAT PAN LINER® included, PROVA DRAIN® sold separately.

PART NO.	TOTAL PAN SIZE	THICKNESS	DRAIN PLACEMENT	MATERIAL
TT8114PAN05	60" x 60" (152 cm x 152 cm)	7/8" (2.2 cm)	Center	Expanded polystyrene



PROVA PAN-MULTI EXTENSION KIT®

PROVA PAN-MULTI EXTENSION KIT


Pack Size: 8 pcs/box

PROVA PAN-MULTI EXTENSION KIT® is designed to be installed with PROVA PAN-MULTI® to create large square or rectangular shower bases. One kit can extend a shower base up to 84" x 84" (213 cm x 213 cm) or any size in between. Use multiple kits to achieve your shower design of choice!

*PROVA PAN-MULTI sold separately.

PART NO.	SIZE PER EXTENSION	MATERIAL
TT8115EXT04	48" x 12" (122 cm x 30 cm)	Expanded polystyrene











PROVA LINEAR®


The PROVA LINEAR® system for tiled showers features a unique modular pan and extension structure that allows for complete versatility when building out any desired shower base size and drain placements. The system can be used with either PROVA BOARD® tile backer or PROVA-MAT® membrane to waterproof shower walls.





DESIGN POSSIBILITES ARE ENDLESS WITH THE PROVA LINEAR® MODULAR PAN & EXTENSION SYSTEM:

END DRAIN - 4' X 4' (122 cm x 122 cm)



CENTER DRAIN - 4' X 4' (122 cm x 122 cm)



END DRAIN WITH PROVA LINEAR PAN EXTENSION® KIT - 4' X 6' (122 cm x 183 cm)











*Tiles shown in tile-in-top inclusion are not included

PROVA LINEAR DRAIN®

PROVALINEAR DRAIN®

Pack Size: 1 ki

The PROVA LINEAR DRAIN® is available in three popular sizes. The drain body is coated with PROVA-BOND™ surface treatment technology for ultimate mortar adhesion. Pre-bonded PROVA-MAT® membrane is included on the drain flange, providing quick and easy waterproofing. The tile-in-top inclusion provides the aesthetic of a fully tiled shower floor without disrupting drainage. Hair catcher and tiling guide also included.



PART NO.	SIZE	ROUGH-IN SIZE	DRAIN MATERIAL
TT8900TNT24	24" (61 cm)	26" (66 cm)	ABS
TT8900TNT36	36" (91 cm)	38" (97 cm)	ABS
TT8900TNT42	42" (107 cm)	44" (112 cm)	ABS

PROVA LINEAR DRAIN GRATE®

PROVA LINEAR DRAIN® GRATE

Pack Size: 1 pc

The PROVA LINEAR DRAIN® GRATE is a durable, rust-resistant, and stylish 304 stainless steel grate option for any tiled shower. It can be used to replace the tile-in-top inclusion of the PROVA LINEAR DRAIN® kit. Includes drain grate and height-adapting clips

PART NO.	SIZE	MATERIAL
TT8910STS24	24" (61 cm)	304 Stainless steel
TT8910STS36	36" (91 cm)	304 Stainless steel
TT8910STS42	42" (107 cm)	304 Stainless steel



PROVA LINEAR PAN®

PROVA LINEAR PAN®

Pack Size: 1 kit

PROVA LINEAR PAN® is a pre-sloped waterproof pan that can be used to build a linear shower base. Prefabricated sloped pan replaces the need for a mortar base. Includes 2 pieces of PROVA LINEAR PAN®, 2 side supports, and 2 filler strips.

PART NO.	SIZE PER PAN	THICKNESS	MATERIAL
TT8901PAN02	22.5" x 24" (57 cm x 61 cm)	1-5/8" (4.1 cm)	Expanded polystyrene



PROVA I INFAR PAN FXTENSION®

PROVA LINEAR PANEXTENSION®

Pack Size: 1 kit

PROVA LINEAR PAN EXTENSION® is a pre-sloped, waterproof pan that can be used to extend the size of a linear shower base by adding them to existing linear pan pieces. Includes 2 pieces of PROVA LINEAR PAN EXTENSION®.

PART NO.	SIZE PER EXTENSION	THICKNESS	MATERIAL
TT8902EXT02	24" x 24" (61 cm x 61 cm)	1-5/8" to 2-1/8" (4.1 cm to 5.4 cm)	Expanded polystyrene




PROVA LINEAR PAN KIT® - CENTER DRAIN

PROVA LINEAR PANKIT® - CENTER DRAIN

Pack Size: 1 kit

The PROVA LINEAR PAN KIT® for **center drain applications** features a unique modular pan system that is easy to install with its pre-sloped base and perforated edges. Kit includes 4 pieces of PROVA LINEAR PAN® and 2 side supports which can build up to a 48" x 48" linear shower base.

PART NO. TOTAL PAN SIZE		THICKNESS	MATERIAL
TT8903CTR04	48" x 48" (122 cm x 122 cm)	1-5/8" (4.1 cm)	Expanded polystyrene





PROVA LINEAR PAN KIT® - END DRAIN

PROVALINEAR PANKIT® - END DRAIN

Pack Size: 1 kit

The PROVA LINEAR PAN KIT® for **end drain applications** features a unique modular pan and extension system that is easy to install with its pre-sloped base and perforated edges. Kit includes 2 pieces of PROVA LINEAR PAN®, 2 side supports, 2 filler strips and 2 pieces of PROVA LINEAR PAN EXTENSION®, which can build up to a 48" x 48" linear shower base.

PART NO.	TOTAL PAN SIZE	THICKNESS	MATERIAL
TT8903END02	48" x 48" (122 cm x 122 cm)	1-5/8" (4.1 cm)	Expanded polystyrene








Designed with the installer in mind, PROVA® makes waterproofing easier than ever before! There are two options available: PROVA-MAT® membrane and PROVA BOARD® tile backer. Both offerings are ideal for waterproofing a variety of different areas, such as showers, steam showers/saunas, countertops, backsplashes and more. Both options are lightweight and easy to install, protect against the growth of mold and mildew and are designed to ensure that you can produce an evenly waterproofed surface to tile every time!





PROVA-MAT®

PROVA-MAT®

PROVA-MAT® is a low perm waterproof membrane that is ideal for use in wet areas, such as showers, bathrooms, laundry rooms, backsplashes, countertops and more. The easy-to-install membrane resists mold and mildew growth and provides great resistance to water vapor transmission. When installed over PROVA BOARD® the

resistance to water vapor transmission. When installed over PROVA BOARD®, the waterproofing properties of the membrane and the thermal resistance offered by the backer board come together to produce the ultimate waterproofing solution for steam showers and saunas!





PART NO.	SIZE	COVERAGE AREA	MATERIAL
TT8002RED05R	16' x 3.28' (5 m x 1 m)	54 sq. ft. (5 sq. m)	Polypropylene
TT8002RED10R	33' x 3.28' (10 m x 1 m)	108 sq. ft. (10 sq. m)	Polypropylene
TT8002RED25R	82' x 3.28' (25 m x 1 m)	269 sq. ft. (25 sq. m)	Polypropylene



PROVA JOINT®

PROVA IOINT®

Pack Size: 1 roll

PROVA JOINT® waterproofing strip seals seams and transitions where water could penetrate. The joint strip also resists mold and mildew growth.



PART NO.	SIZE	MATERIAL
TT8001RED25R	25' x 5" (7.62 m x 12.7 cm)	Polypropylene
TT8001RED82R	82' x 5" (25 m x 12.7 cm)	Polypropylene



PROVA CORNER®

CORNER TYPE

Inside

Outside

PART NO.

TT8003INSCR

TT80030UTCR

PROVA CORNER® is made from PROVA-MAT® waterproofing membrane and is used to seal and waterproof the inside/outside corners of a shower base and curb. The preformed corner design eliminates any seams. The corners also resist mold and mildew growth.

4-1/2" x 2-1/4" x 3-1/2" (11.43 cm x 5.72 cm x 8.89 cm)



Polypropylene

SIZE (L x H1 x H2)	MATERIAL
4-1/2" x 2-1/4" x 3-1/2" (11.43 cm x 5.72	cm x 8.89 cm) Polypropylene





PROVA PIPE SEAL®

PROVA PIPE SEAL®

PROVA PIPE SEAL® is a prefabricated seal made of cut sections of PROVA-MAT® with a flexible collar designed to seal pipe protrusions. The pipe seal also resists mold and mildew growth.

PART NO.	QTY	SIZE	MATERIAL
TT8102REDPS	1 pc	4-3/4" x 4-3/4" (12.07 cm x 12.07 cm), 7/16" (1.11 cm) opening	Polypropylene
TT8102REDPSB	Bulk - 10 pcs	4-3/4" x 4-3/4" (12.07 cm x 12.07 cm), 7/16" (1.11 cm) opening	Polypropylene










PROVA BOARD®

PROVA BOARD® is a lightweight, high-density tile backer board that is quick and easy to install. The 100% waterproof XPS (extruded polystyrene) core is resistant to vapor pressure and does not support mold growth. The XPS core is sandwiched between tightly woven mesh and layers of cementitious coating. Install with PROVA FASTENERS® and PROVA-SEAL™ to guarantee a watertight installation.

- Install on walls, countertops & fireplaces
- Great for tub surrounds, walk-in showers & building benches
- Offers support for large format tiles
- Non-deteriorating/non-rotting properties
- · Highly durable & flame retardant





PART NO.	SIZE	THICKNESS	PACK SIZE	MATERIAL
PVBP24X48X12	24" x 48" (61 cm x 122 cm)	1/8" (3.2 mm)	10 pcs/box	Extruded polystyrene
PVBP36X60X25	36" x 60" (91 cm x 152 cm)	1/4" (6.4 mm)	10 pcs/box	Extruded polystyrene
PVBP36X60X05	36" x 60" (91 cm x 152 cm)	1/2" (12.7 mm)	5 pcs/box	Extruded polystyrene
PVBP36X60X05B	36" x 60" (91 cm x 152 cm)	1/2" (12.7 mm)	100 pcs/pallet	Extruded polystyrene
PVBP48X96X05	48" x 96" (122 cm x 244 cm)	1/2" (12.7 mm)	5 pcs/box	Extruded polystyrene
PVBP48X96X05B	48" x 96" (122 cm x 244 cm)	1/2" (12.7 mm)	100 pcs/pallet	Extruded polystyrene
PVBP48X96X58B	48" x 96" (122 cm x 244 cm)	5/8" (15.9 mm)	40 pcs/pallet	Extruded polystyrene
PVBP24X96X20	24" x 96" (61 cm x 244 cm)	2" (5 cm)	5 pcs/box	Extruded polystyrene

Common Uses (by board thickness)	2"	5/8"	1/2"	1/4"	1/8"
Building/construction use	~	✓	✓		
Structural use (i.e. benches)	✓				
Build-up for listellos and mosaics				✓	~
Thermal break on concrete floors				✓	
Adapter and/or spacer				/	~
Sound reduction properties	~	~	~		



PROVA BOARD PAN ASSEMBLY KIT®

PROVA BOARD PAN ASSEMBLY KIT®

Pack Size: 1 kit

PROVA BOARD PAN ASSEMBLY KIT® includes all the components required to build a watertight shower pan assembly using PROVA BOARD® tile backer*. The kit is perfect for new construction or projects where existing drywall or cement board needs to be replaced. Save time with this combination solution and rest assured that your shower assembly will last for years to come!

- Eliminates the two-step process of waterproofing membrane over cement board and/or drywall
- Modular PROVA PAN® inclusion provides flexibility in installation and replaces the need for a mortar base
- PROVA-MAT PAN LINER® component is ICC-ES approved




*PROVA BOARD® PLUS sold separately.

PART NO.	SIZE	DRAIN PLACEMENT	DRAIN MATERIAL
PVBP8008ABS	48" x 48" (122 cm x 122 cm)	Center	ABS, includes 304 stainless steel grate
PVBP8013ABS	32" x 60" (81 cm x 152 cm)	Offset	ABS, includes 304 stainless steel grate
PVBP8008PVC	48" x 48" (122 cm x 122 cm)	Center	PVC, includes 304 stainless steel grate
PVBP8013PVC	32" x 60" (81 cm x 152 cm)	Offset	PVC, includes 304 stainless steel grate



LABELS	DESCRIPTION	SPECS	QTY
А	PROVA PAN®	48" x 48" (122 cm x 122 cm) or 32" x 60" (81 cm x 152 cm)	1 pc
В	PROVA-MAT PAN LINER®	48" x 48" (122 cm x 122 cm) or 32" x 60" (81 cm x 152 cm)	1 pc
С	PROVA DRAIN®	ABS or PVC (304 stainless steel grate included)	1 pc
D	PROVA FASTENERS®	1-5/8" (4.1 cm) screws 1-1/4" (3.2 cm) washers	140 screws/washers
E	PROVA-SEAL™	9.5 oz (280 ml)	7 tubes







48" x 48" (122 cm x 122 cm) Kit with ABS Drain, Center Placement



32" x 60" (81 cm x 152 cm) Kit with PVC Drain, Offset Placement





TT8801NCH24 TT8800NCH16 TT8800NCH33

PROVA NICHE®

PROVA NICHE®

Pack Size: 1 pc

PROVA NICHE® is a prefabricated niche made of PROVA BOARD® that can be used with PROVA-MAT® or PROVA BOARD when installing a tiled shower. This useful, stylish accessory offers built-in utility for showers, bathrooms, and kitchen backsplashes. It also allows for more free and clear space for any and all necessities, such as shampoo bottles, soaps, spices, cooking utensils and more!



PART NO.	SIZE (OUTSIDE DIMENSIONS)	SIZE (INSIDE DIMENSIONS)	SHELF INCLUSION	MATERIAL
TT8800NCH16	16" x 16" (40.6 cm x 40.6 cm)	12" x 12" (30.5 cm x 30.5 cm)	Sold separately	Extruded polystyrene
TT8811NCH24	24" x 16" (61 cm x 40.6 cm)	20" x 12" (50.8 cm x 30.5 cm)	Sold separately	Extruded polystyrene
TT8801NCH24	24" x 16" (61 cm x 40.6 cm)	20" x 12" (50.8 cm x 30.5 cm)	One (1) glass shelf	Extruded polystyrene
TT8800NCH33	33" x 16" (83.8 cm x 40.6 cm)	29" x 12" (73.7 cm x 30.5 cm)	Two (2) glass shelves	Extruded polystyrene



Note: PROVA® products are to be installed using premium polymer-modified thinset mortar only. Premixed mortar or mastic are not to be used. Installations completed with polymer-modified thinset mortar that meets the most current version of the ANSI A118.15 standard may qualify for a limited lifetime warranty. Refer to the warranty summary page on page 65, installation instructions and technical data sheets for complete product information & appropriate application conditions.



PROVA PRO-SELECT

NICHE SHELVES Pack Size: 1 pc

PRO-SELECT® Niche Shelves designed to seamlessley integrate with PROVA NICHE® are durable, rust-resistant and stylish 304 stainless steel rectangular shelves that offer a contemporary space-saving solution. Available in high-end patterns and finishes to effortlessly complement the most comptemporary bathroom hardware fixtures. Ideal for showers and various tiled wall applications.

- Fits seamlessly into 1/8" (3 mm) grout lines. No drilling required!
- Point Drain Grates and Corner Shelves are also available

*PROVA NICHE® sold separately

PATTERN: SQUARE			
PART NO.	FINISHES	PART NO.	FINISHES
TT8824STS12NH	Stainless Steel (STS)	TT8824CRM12NH	Chrome (CRM)
TT8824PBK12NH	Matte Black (PBK)	TT8824GLD12NH	Gold (GLD)
PATTERN: BLOOM			
PART NO.	FINISHES	PART NO.	FINISHES
TT8825STS12NH	Stainless Steel (STS)	TT8825CRM12NH	S S で Chrome (CRM)
TT8825PBK12NH	断点し Matte Black (PBK)	TT8825GLD12NH	めらる(GLD)
PATTERN: LEGACY			
PART NO.	FINISHES	PART NO.	FINISHES
TT8823STS12NH	Stainless Steel (STS)	TT8823CRM12NH	Chrome (CRM)
TT8823PBK12NH	Matte Black (PBK)	TT8823GLD12NH	Gold (GLD)









PROVA NICHE GLASS SHELF®

PROVA NICHE GLASS SHELF®

Pack Size: 5 pcs

Adjustable safety glass shelves for ultimate design flexibility and flair

- Easy to install & customize position and trim shelves as desired
- Stylish complements the interior décor of ANY bathroom
- Convenient & versatile add shelves to an existing PROVA NICHE® or build your own niche with PROVA BOARD®
- Installation flexibility Glass shelves can be trimmed to suit your needs

PART NO.	SIZE	THICKNESS	MATERIAL
TT8810GSS12	11-13/16" x 3-3/8" (30 cm x 8.6 cm)	3/8" (9.5 mm)	Laminated glass





PROVA PRO-SELECT

CORNER SHELVES

Pack Size: 1 pc

PRO-SELECT® Corner Shelves are designed for any new construction or upcoming renovation project. This space-saving shelf solution is made of solid 304 Stainless Steel and has an innovative corner lip to prevent shower necessities from falling. Available in multiple patterns and finishes to suit any design aesthetic.

- Fits seamlessly into 1/8" (3 mm) grout lines. Simply drop in place: No drilling required!
- Matching PRO-SELECT® Point Drain Grates and Niche Shelves are also available

PATTERN: SQUARE			
PART NO.	FINISHES	PART NO.	FINISHES
TT8824STS12CR	Stainless Steel (STS)	TT8824CRM12CR	Chrome (CRM)
TT8824PBK12CR	Matte Black (PBK)	TT8824GLD12CR	Gold (GLD)
PATTERN: BLOOM			
PART NO.	FINISHES	PART NO.	FINISHES
TT8825STS12CR	Stainless Steel (STS)	TT8825CRM12CR	Chrome (CRM)
TT8825PBK12CR	জু জু Matte Black (PBK)	TT8825GLD12CR	ら Gold (GLD)
PATTERN: LEGACY			
PART NO.	FINISHES	PART NO.	FINISHES
TT8823STS12CR	Stainless Steel (STS)	TT8823CRM12CR	Chrome (CRM)
TT8823PBK12CR	Matte Black (PBK)	TT8823GLD12CR	Gold (GLD)









PROVA-SEALTM

PROVA-SEAL™ is a hybrid specialty adhesive and sealant that cures to form a flexible, durable bond between various surfaces. With its exceptional bonding and waterproofing properties, PROVA-SEAL $^{\text{TM}}$ is ideal for the installation of PROVA® shower systems, including PROVA BOARD® and other PROVA® shower components. Can be used to caulk and seal cracks; penetrations; openings; joints, including expansion and control joints; and seams. Great for use around sinks, countertops, hardboard & flashing, and more!

PART NO. (U.S ===)	FORMAT	VOLUME	MATERIAL
PBS10FLOZUS	Cartridge	9.5 fl. oz. (280 ml)	Premium hybrid silicone
PBS20FLOZUS	Sausage Tube	20 fl. oz. (591.5 ml)	Premium hybrid silicone
PART NO. (CAN **)	FORMAT	VOLUME	MATERIAL
PBS10FLOZCDN	Cartridge	9.5 fl. oz. (280 ml)	Premium hybrid silicone
PBS20FL0ZCDN	Sausage Tube	20 fl. oz. (591.5 ml)	Premium hybrid silicone





PROVA EZSPREAD

PROVA EZ SPREAD®

PROVA EZ SPREAD® is an installer-friendly nozzle designed to improve sealant application, making it faster, consistently even, and mess-free.

- Provides an even, controlled spread of PROVA-SEAL™ every time
- Applies sealant two times faster than traditional methods
- Saves up to 50% of the material

PART NO.	QTY
TT8024NZL02	2 pcs/pack (8 packs/ctn)
TT8024NZL20	20 pcs/pack (5 packs/ctn)
TT8024NZL50CAN ▮❖▮	Sell through open stock carton CDN (50 pcs/ctn)
TT8024NZL50US	Sell through open stock carton U.S (50 pcs/ctn)





PROVA FASTENERS®

PROVA FASTENERS®

Pack Size: 1 ctn

PROVA FASTENERS® (screws and washers) offer a safe, simple and durable installation solution for PROVA BOARD® wall panels. They are used to fasten PROVA BOARD panels to wood stud framing and other substrates suitable for screw connections.

PART NO.	SIZE/CONTENTS	PCS/CTN
TT8019SCR03B	3" SCREWS To be used for installations of 2" thick PROVA BOARD® PLUS	200
TT8020SCR02B	1-5/8" SCREWS To be used for installations of 1/2", 5/8", 1/4" or 1/8" thick PROVA BOARD®	200
TT8022SCR02B	1-5/8" SCREWS To be used for installations of 1/2", 5/8", 1/4" or 1/8" thick PROVA BOARD®	1000
TT8021WSH01B	1-1/4" WASHERS To be used in conjunction with either size screw for all PROVA BOARD® installations	100
TT8023WSH01B	1-1/4" WASHERS To be used in conjunction with either size screw for all PROVA BOARD® installations	1000
TT8017FSN04	1-5/8" (4.1 cm) SCREWS and 1-1/4 (3.2 cm) WASHERS	40 pc combo pack









isolation and uncoupling properties, PROVA® underlayment systems can be used on or below grade. The versatility of PROVA FLEX-HEAT® provides a great solution for heated tile installations and also enables the installer to match up to thicker flooring surface materials like 3/4" (1.9 cm) hardwood.





PROVA FLEX-HEAT+®

PROVA FLEX-HEAT® (ROLL)

Pack Size: 1 roll

PROVA FLEX-HEAT® is a lightweight uncoupling membrane with heating cable capabilities. The membrane features deep grooves with locking channels that are suitable for multiple thicknesses of heating cables. Patented **Shear Stress Control®** system with non-woven anchoring fleece neutralizes stress caused by movement in the substrate.

Versatile Heating Cable Compatibility:

Can be used with multiple wire sizes of up to 0.2" (5 mm) thick.

Achieve 3" (7.6 cm) Cable Spacing:

Provides most efficient heat distribution as per wire manufacturer specifications.

0.26" (6.5 mm) thick membrane:

Can be used without heating cables for matching up to higher floors to achieve a level transition.

Vapor Management System:

Open-air channels beneath the fleece layer provides a path for moisture to dissipate. Well suited for below-grade installations.

Achieved an EXTRA HEAVY Performance Rating When Tested to ASTM C627.

PART NO.	SIZE	COVERAGE AREA	THICKNESS	QTY/PALLET
TT8006RED05	3.28' x 16.40' (1 m x 5 m)	54 sq. ft. (5 sq. m)	0.26" (6.5 mm)	16 rolls
TT8006RED15	3.28' x 49.21' (1 m x 15 m)	161 sq. ft. (15 sq. m)	0.26" (6.5 mm)	9 rolls


PROVA FLEX-HEAT® (SHEETS)

Pack Size: 10 pcs/box

PROVA FLEX-HEAT® pre-cut for easy handling and versatility. Perfect for numerous projects.

PART NO.	SIZE	COVERAGE AREA	THICKNESS	QTY/PALLET
TT8006RED10	38.75" x 37.25" (0.98 m x 0.95 m)	10 sg. ft. (0.93 sg. m)	0.26" (6.5 mm)	25 boxes





Note: PROVA® products are to be installed using premium polymer-modified thinset mortar only. Premixed mortar or mastic are not to be used. Installations completed with polymer-modified thinset mortar that meets the most current version of the ANSI A118.15 standard may qualify for a limited lifetime warranty. Refer to the warranty summary page on page 55, installation instructions and technical data sheets for complete product information & appropriate application conditions.



PROVA-FLEX®


PROVA FLEX® Pack Size: 1 roll

PROVA-FLEX® is a durable, lightweight tile underlayment that provides crack isolation protection on cement slabs and is an easy-to-install, labor-saving alternative to backer board on wood substrates. The underlayment features a patented **Shear Stress Control®** system with non-woven anchoring fleece to neutralize stress caused by movement in the substrate. With its lightweight functionality and the top scrim layer that provides the ultimate locking mechanism for mortar, you can fill the studs with mortar in just one pass of your trowel and get the job done even faster!

Achieved an EXTRA HEAVY Performance Rating When Tested to ASTM C627.

PART NO.	SIZE	COVERAGE AREA	THICKNESS	QTY/PALLET
TT8004RED05	3.28' x 16.40' (1 m x 5 m)	54 sq. ft. (5 sq. m)	0.16" (4 mm)	25 rolls
TT8004RED82R	3.28' x 82.02' (1 m x 25 m)	269 sq. ft. (25 sq. m)	0.16" (4 mm)	9 rolls





PROTEGGA®


PROTEGGA® Pack Size: 1 roll

PROTEGGA® is a durable, lightweight tile underlayment that provides crack isolation protection on cement slabs and is an easy-to-install, labor saving alternative to backer board on wood substrates. The underlayment features a patented **Shear Stress Control®** system with non-woven anchoring fleece to neutralize stress caused by movement in the substrate. The exclusive waterproofing and vapour management system provides open-air channels on the underside to allow moisture to dissipate.

Achieved an EXTRA HEAVY Performance Rating When Tested to ASTM C627.


PART NO.	SIZE	COVERAGE AREA	THICKNESS	QTY/PALLET
TT8000RED82R	3.28' x 82.02' (1 m x 25 m)	269 sq. ft. (25 sq. m)	0.16" (4 mm)	9 rolls





Note: PROVA® products are to be installed using premium polymer-modified thinset mortar only. Premixed mortar or mastic are not to be used. Installations completed with polymer-modified thinset mortar that meets the most current version of the ANSI A118.15 standard may qualify for a limited lifetime warranty. Refer to the warranty summary page on page 55, installation instructions and technical data sheets for complete product information & appropriate application conditions.





ALUMINUM TILE EDGE

Aluminum tile trims add a finishing touch that effectively frames any tile install and provides for a high-end look with added durability. With several profiles and finishing options to choose from, look no further than to the PROVA TILE EDGE® line of aluminum finishing solutions for optimal design choice and flexibility.

Anodized Aluminum:

Tried-and-true finishes to complement a variety of different tile installations. Anodized profiles provide excellent wear, scratch, and corrosion resistance. They are also easy to clean and maintain for years to come.

NEW! PRO-FINISH™ Series

A durable tile trim with a distinctive look can make a lasting impression. The PRO-FINISH Series consisting of PRO-COAT™ and PRO-BRUSH™ lines are designed to provide the most current finishes and colors to match.



PRO-COAT™ – Powder Coated Aluminum:

On-trend color essentials designed with the latest selection of ceramic and stone tile in mind. The powder coated process creates a lasting finish and offers enhanced durability – all PRO-COAT $^{\text{TM}}$ trims are highly resistant to abrasion and grout stains. Available in several popular colors to complement or contrast any tile design imaginable!





COMING SOON!

PRO-BRUSH™ – Brushed Anodized Aluminum:

Uniquely aesthetic brushed finishes that provide a subtle aged look to the more traditional anodized finish. Available in several colors, the PRO-BRUSH™ line adds a decorative and durable accent that is an excellent option between two different finishes, glossy and matte. All brushed profiles are resistant to scratches and require minimal maintenance.






Flat Tile Edge protects tile from damage while providing a finished butting edge for other flooring materials. Prevents tiles from chipping and is pre-punched for easy setting into mortar.

12 ft. lengths - minimize joints, reduce waste and perfect for high ceilings!



LENGTH: 12 ft. (3.7 m)	ALUMINUM FINISH/PART NO.		
Height (H)	Bright Clear (BCL)	Satin Antique Bronze (SAB)	Satin Black (SBK)
5/16" (8 mm)	CM2150BCL12	CM2150SAB12	CM2150SBK12
3/8" (10 mm)	CM2151BCL12	CM2151SAB12	CM2151SBK12
1/2" (12.5 mm)	CM2152BCL12	CM2152SAB12	CM2152SBK12
Height (H)	Satin Clear Anodized (SCA)	Satin Titanium (STI)	White (WHT)
5/16" (8 mm)	CM2150SCA12	CM2150STI12	CM2150WHT12
3/8" (10 mm)	CM2151SCA12	CM2151STI12	CM2151WHT12
1/2" (12.5 mm)	CM2152SCA12	CM2152STI12	CM2152WHT12








- A Anodized Aluminum
- P PRO-COAT™ Powder Coat Aluminum

FLAT TILE EDGE (CONTOUR)



Flat Tile Edge also available in a Contour (Flex) style where the setting flange is punched to allow trim to be molded and shaped around curved floor applications up to a 2' (61 cm) radius. Available profiles include CM2148, CM2149. CM2150, CM2151, CM2152, CM2154 and CM2155 in all aluminum finishes, 8 ft. lengths only.

NOTE: Adding "C" at the end of part number denotes contour (i.e. CM2148BBR08C). Contact customer service for availability and delivery time.











A Anodized Aluminum

Denotes ADA-compliant profiles

FLAT TILE EDGE Pack Size: 25 pcs

Flat Tile Edge protects tile from damage while providing a finished butting edge for other flooring materials. Prevents tiles from chipping and is pre-punched for easy setting into mortar.

8 ft. lengths also available in Contour (Flex) style See page 33 for more details

LENGTH: 8 ft. (2.4 m)	m) ALUMINUM FINISH/PART NO.							
Height (H)	Bright Brass (BBR)	Bright Clear (BCL)	Mill Finish (MIL)	Satin Antique Bronze (SAB)				
3/16" (4.5 mm) ADA	N/A	N/A	CM2148MIL08	N/A				
1/4" (6 mm) ADA	N/A	CM2149BCL08	CM2149MIL08	CM2149SAB08				
5/16" (8 mm)	CM2150BBR08	CM2150BCL08	CM2150MIL08	CM2150SAB08				
3/8" (10 mm)	CM2151BBR08	CM2151BCL08	CM2151MIL08	CM2151SAB08				
1/2" (12.5 mm)	CM2152BBR08	CM2152BCL08	CM2152MIL08	CM2152SAB08				
5/8" (16 mm)	N/A	CM2154BCL08	CM2154MIL08	N/A				
3/4" (19 mm)	N/A	CM2155BCL08	CM2155MIL08	N/A				
Height (H)	Satin Black (SBK)	Satin Clear Anodized (SCA)	Satin Champage (SCP)	Satin Dark Bronze (SDB)				
3/16" (4.5 mm) ADA	N/A	CM2148SCA08	N/A	N/A				
1/4" (6 mm) ADA	CM2149SBK08	CM2149SCA08	CM2149SCP08	CM2149SDB08				
5/16" (8 mm)	CM2150SBK08	CM2150SCA08	CM2150SCP08	CM2150SDB08				
3/8" (10 mm)	CM2151SBK08	CM2151SCA08	CM2151SCP08	CM2151SDB08				
1/2" (12.5 mm)	CM2152SBK08	CM2152SCA08	CM2152SCP08	CM2152SDB08				
5/8" (16 mm)	CM2154SBK08	CM2154SCA08	CM2154SCP08	N/A				
3/4" (19 mm)	CM2155SBK08	CM2155SCA08	CM2155SCP08	N/A				
Height (H)	Satin Gold Anodized (SGA)	Satin Titanium (STI)		_				
3/16" (4.5 mm) ADA	N/A	CM2148STI08						
1/4" (6 mm) (ADA	CM2149SGA08	CM2149STI08						
5/16" (8 mm)	CM2150SGA08	CM2150STI08						
3/8" (10 mm)	CM2151SGA08	CM2151STI08						
1/2" (12.5 mm)	CM2152SGA08	CM2152STI08						
5/8" (16 mm)	N/A	CM2154STI08						
3/4" (19 mm)	N/A	CM2155STI08						



FLAT TILE EDGE Pack Size: 25 pcs

Flat Tile Edge protects tile from damage while providing a finished butting edge for other flooring materials. Prevents tiles from chipping and is pre-punched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)	ALUMINUM FINISH/PART NO.						
Height (H)	Shell Greige (PBG)	Thunder Grey (PGY)	Matte Black (PBK)	Matte Titanium (PTI)			
3/16" (4.5 mm) ADA	N/A	N/A	N/A	CM2148PTI08			
1/4" (6 mm) ADA	CM2149PBG08	CM2149PGY08	CM2149PBK08	CM2149PTI08			
5/16" (8 mm)	CM2150PBG08	CM2150PGY08	CM2150PBK08	CM2150PTI08			
3/8" (10 mm)	CM2151PBG08	CM2151PGY08	CM2151PBK08	CM2151PTI08			
1/2" (12.5 mm)	CM2152PBG08	CM2152PGY08	CM2152PBK08	CM2152PTI08			
5/8" (16 mm)	CM2154PBG08	CM2154PGY08	CM2154PBK08	CM2154PTI08			
3/4" (19 mm)	CM2155PBG08	CM2155PGY08	CM2155PBK08	CM2155PTI08			
Height (H)	White (WHT)	Brushed Antique Bronze (BAB)	Brushed Graphite (BGR)	Brushed Titanium (BTI)			
3/16" (4.5 mm) ADA	N/A	N/A	N/A	N/A			
1/4" (6 mm) ADA	CM2149WHT08	CM2149BAB08	CM2149BTI08	CM2149BAB08			
5/16" (8 mm)	CM2150WHT08	CM2150BAB08	CM2150BTI08	CM2150BAB08			
3/8" (10 mm)	CM2151WHT08	CM2151BAB08	CM2151BTI08	CM2151BAB08			
1/2" (12.5 mm)	CM2152WHT08	CM2152BAB08	CM2152BTI08	CM2152BAB08			
5/8" (16 mm)	N/A	N/A	CM2154BTI08	N/A			
3/4" (19 mm)	N/A	N/A	CM2155BTI08	N/A			








- P PRO-COAT™ Powder Coated Aluminum
- B PRO-BRUSH™ Brushed Anodized Aluminum
- ADA Denotes ADA-compliant profiles









- A Anodized Aluminum
- P PRO-COAT™ Powder Coated Aluminum
- ADA Denotes ADA-compliant profiles

ROUND TILE EDGE Pack Size: 25 pcs

Round Tile Edge protects tile from damage while providing a finished curved edge. Can be used on walls, floors, countertops, and backsplashes. Prevents tiles from chipping and pre-punched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)	ALUMINUM FINISH/PAR	RT NO.		
Height (H)	Bright Brass (BBR)	Bright Clear (BCL)	Mill Finish (MIL)	Satin Antique Bronze (SAB)
1/4" (6 mm) ADA	CM2249BBR08	CM2249BCL08	CM2249MIL08	CM2249SAB08
5/16" (8 mm)	CM2250BBR08	CM2250BCL08	CM2250MIL08	CM2250SAB08
3/8" (10 mm)	CM2251BBR08	CM2251BCL08	CM2251MIL08	CM2251SAB08
1/2" (12.5 mm)	CM2252BBR08	CM2252BCL08	CM2252MIL08	CM2252SAB08
Height (H)	Satin Black (SBK)	Satin Clear Anodized (SCA)	Satin Champage (SCP)	Satin Dark Bronze (SDB)
1/4" (6 mm) ADA	N/A	CM2249SCA08	N/A	N/A
5/16" (8 mm)	CM2250SBK08	CM2250SCA08	CM2250SCP08	CM2250SDB08
3/8" (10 mm)	CM2251SBK08	CM2251SCA08	CM2251SCP08	CM2251SDB08
1/2" (12.5 mm)	CM2252SBK08	CM2252SCA08	CM2252SCP08	CM2252SDB08
Height (H)	Satin Gold Anodized (SGA)	Satin Titanium (STI)	White (WHT)	Shell Greige (PBG)
Height (H) 1/4" (6 mm) (ADA)				
	Anodized (SGA)	(STI)	(WHT)	(PBG)
1/4" (6 mm) ADA	Anodized (SGA) CM2249SGA08	(STI) A	(WHT)	(PBG)
1/4" (6 mm) (8 mm)	CM2249SGA08 CM2250SGA08	(STI) A CM2249STI08 CM2250STI08	N/A N/A	N/A CM2250PBG08
1/4" (6 mm) ADA 5/16" (8 mm) 3/8" (10 mm)	CM2249SGA08 CM2250SGA08 N/A	(STI) CM2249STI08 CM2250STI08 CM2251STI08	N/A N/A CM2251WHT08	(PBG) N/A CM2250PBG08 CM2251PBG08
1/4" (6 mm) ADA 5/16" (8 mm) 3/8" (10 mm) 1/2" (12.5 mm)	CM2249SGA08 CM2250SGA08 N/A N/A Thunder Grey	CM2249STI08 CM2250STI08 CM2251STI08 CM2252STI08 Matte Black	N/A N/A CM2251WHT08 CM2252WHT08 Matte Titanium	(PBG) N/A CM2250PBG08 CM2251PBG08
1/4" (6 mm)	CM2249SGA08 CM2250SGA08 N/A N/A Thunder Grey (PGY)	CM2249STI08 CM2250STI08 CM2251STI08 CM2252STI08 Matte Black (PBK)	N/A N/A CM2251WHT08 CM2252WHT08 Matte Titanium (PTI)	(PBG) N/A CM2250PBG08 CM2251PBG08
1/4" (6 mm) ADA 5/16" (8 mm) 3/8" (10 mm) 1/2" (12.5 mm) Height (H) 1/4" (6 mm) ADA	CM2249SGA08 CM2250SGA08 N/A N/A Thunder Grey (PGY) N/A	CM2249STI08 CM2250STI08 CM2251STI08 CM2252STI08 Matte Black (PBK) N/A	N/A N/A CM2251WHT08 CM2252WHT08 Matte Titanium (PTI) N/A	(PBG) N/A CM2250PBG08 CM2251PBG08



ROUND OUTSIDE CORNER

ack Size: 10 pcs

Round Outside Corner used to finish and protect the outer corner edge while joining two pieces of round tile edge at a 90° outside corner. Can be used on walls, countertops, and backsplashes. Prevents tiles from chipping.

BULK	ALUMINUM FINISH/PART NO.		
Height (H)	Satin Antique Bronze (SAB)	Satin Clear Anodized (SCA)	Matte Titanium (PTI)
5/16" (8 mm)	CM5008SABOC	CM5008SCAOCR	CM5008PTIOC
3/8" (10 mm)	CM5110SABOC	CM5110SCAOCR	CM5110PTIOC
1/2" (12.5 mm)	CM5212SABOC	CM5212SCAOCR	CM5212PTIOC
Height (H)	Shell Greige (PBG)	Thunder Grey (PGY)	Matte Black (PBK)
5/16" (8 mm)	CM5008PBGOC	CM5008PGYOC	CM5008PBK0C
3/8" (10 mm)	CM5110PBGOC	CM5110PGYOC	CM5110PBKOC
1/2" (12.5 mm)	CM5212PBGOC	CM5212PGYOC	CM5212PBKOC



ROUND INSIDE CORNER

Pack Size: 10 pcs

Round Inside Corner used to finish and join two pieces of tile edge at a 90° inside corner. Can be used on walls, countertops, and backsplashes. Prevents tiles from chipping.

BULK	ALUMINUM FINISH/PART NO.		
Height (H)	Satin Antique Bronze (SAB)	Satin Clear Anodized (SCA)	Matte Titanium (PTI)
5/16" (8 mm)	CM5008SABIC	CM5008SCAIC	CM5008PTIIC
3/8" (10 mm)	CM5110SABIC	CM5110SCAIC	CM5110PTIIC
1/2" (12.5 mm)	CM5212SABIC	CM5212SCAIC	CM5212PTIIC
Height (H)	Shell Greige (PBG)	Thunder Grey (PGY)	Matte Black (PBK)
5/16" (8 mm)	CM5008PBGIC	CM5008PGYIC	СМ5008РВКІС
3/8" (10 mm)	CM5110PBGIC	CM5110PGYIC	CM5110PBKIC
1/2" (12.5 mm)	CM5212PBGIC	CM5212PGYIC	CM5212PBKIC








A Anodized Aluminum

P PRO-COAT™ - Powder Coat Aluminum







A Anodized Aluminum

P PRO-COAT™ - Powder Coated Aluminum


SQUARE TILE EDGE Pack Size: 25 p

Square Tile Edge provides a sleek, contemporary look to finish and protect the outer edge of exposed tile. Can be used on walls, countertops, and backsplashes. This profile can also be used as an accent with a feature strip or listello border. Prevents tiles from chipping and is pre-punched for easy setting into mortar.









A Anodized Aluminum

QUARE CORNER Pack Size: 10 pcs

Dual-purpose Square Corner can be used for both inside and outside corner applications. Provides a clean, finished look while also protecting corner edges of exposed tile.


BULK		ALUMINUM FINISH/PART NO.			
Height (H)	Application	Bright Clear (BCL)	A	Satin Clear Anodized (SCA)	
5/16" (8 mm)	Dual purpose	CM2350BCLCR		CM2350SCACR	
3/8" (10 mm)	Dual purpose	CM2351BCLCR		CM2351SCACR	
1/2" (12.5 mm)	Dual purpose	CM2352BCLCR		CM2352SCACR	
PACKAGED		ALUMINUM FINISH/PART NO.			
PACKAGED Height (H)	Application	ALUMINUM FINISH/PART NO. Bright Clear (BCL)	A	Satin Clear Anodized (SCA)	
	Application Dual purpose		A	Satin Clear Anodized (SCA) ET2350SCACR	
Height (H)		Bright Clear (BCL)	۵		



CERAMIC COVE Pack Size: 12 pcs

Ceramic Cove is designed for sanitary base applications to prevent dirt buildup in open joints. Can be used for floor-to-wall and/or countertop-to-backsplash applications. Commonly used in commercial kitchens, washrooms or any tiled surface where sanitation is necessary.








CERAMIC COVE CORNER

Pack Size: 10 ncs


The **"one size fits all"** inside and outside Ceramic Cove Corner accessory pieces provide a finished corner edge at a 90° angle while also preventing the collection of dirt buildup with their matching cove shape. Can easily be wiped clean for a low-maintenance tile assembly.


BULK	ALUMINUM FINISH/PART NO.	
Application	Bright Clear (BCL)	Satin Clear Anodized (SCA)
Outside	CM2400BCLOCR	CM2400SCAOCR
Inside	CM2400BCLICR	CM2400SCAICR
PACKAGED	ALUMINUM FINISH/PART NO.	
PACKAGED Application	ALUMINUM FINISH/PART NO. Bright Clear (BCL)	Satin Clear Anodized (SCA)
		Satin Clear Anodized (SCA) ET2400SCAOCR











A Anodized Aluminum

J-MOLDING Pack Size: 12 pcs

J-Molding can be used to cap off tile edge. Can also be used to frame around glass, mirrors and panels. Prevents tiles from chipping.


LENGTH: 8 ft. (2.4	4 m)	ALUMINUM FINISH/PART NO.							
Height (H)	Width (W)		ght Brass BR)		ght Clear (A)		II Finish A	Sat	tin Clear odized (SCA)
1/4" (6 mm)	3/4" (19 mm)		CM2130BBR08		CM2130BCL08		CM2130MIL08		CM2130SCA08
3/8" (10 mm)	3/4" (19 mm)		N/A		CM2135BCL08		CM2135MIL08		CM2135SCA08
1/2" (12.5 mm)	1" (25 mm)		CM2136BBR08		CM2136BCL08		CM2136MIL08		CM2136SCA08
Height (H)	Width (W)		tin ampagne A	Sat	tin Gold odized (SGA)	Sa (S	tin Titanium 🛕		
1/4" (6 mm)	3/4" (19 mm)		CM2130SCP08		N/A		CM2130STI08		
3/8" (10 mm)	3/4" (19 mm)		N/A		CM2135SGA08		CM2135STI08		
1/2" (12.5 mm) 1	1" (25 mm)		N/A		CM2136SGA08		CM2136STI08		




CFRAMIC ADAPTER

Pack Size: 12 pcs

Ceramic Adapter for use where tile meets low pile carpet, LVT/LVP or other 1/4" (6 mm) flooring material. Designed to cover the edge of the adjacent flooring material while also serving to protect unfinished tile edge. Pre-punched for easy setting into mortar.








- A Anodized Aluminum
- P PRO-COAT™ Powder Coat Aluminum
- ADA Denotes ADA-compliant profiles









- A Anodized Aluminum
- P PRO-COAT™ Powder Coat Aluminum
- ADA Denotes ADA-compliant profiles

Ceramic Reducer has a sloped face to create a smooth transition between tile and adjacent flooring material, such as LVT/LVP, resilient tile or sheet goods. Pre-punched for easy setting into mortar.





CERAMIC TILE STAIR NOSING


Pack Size: 12 pcs

Ceramic Tile Stair Nosing provides increased strength and rigidity to stairs while also serving to protect unfinished tile edge. The long inside drop covers the nose of standard stairs and gives a smooth, clean appearance. Can be used in light commercial and/or residential applications. Pre-punched for easy setting into mortar.









- A Anodized Aluminum
- SP Special orders only
- * Hammered texture



CM4251HDB12

CM4251HGA12

CM4251HTI12

CM4251HCA12

3/8" (10 mm)

2" (51 mm)






DECORATIVE TILE STAIR NOISNO

Pack Size: 12 pcs

Decorative Tile Stair Nosing provides increased strength and rigidity to stairs while also serving to protect unfinished tile edge. The long inside drop covers the nose of standard stairs and gives a smooth, clean appearance. Can be used in light commercial and/or residential applications. Prepunched for easy setting into mortar.

LENGTH: 12 ft. (3.7 m)	ALUMINUM FINISH/PART NO.		
Height (H)	Satin Black (SBK)	Satin Clear Anodized (SCA)	Satin Titanium (STI)
3/8" (10 mm)	CM4551SBK12 SP	CM4551SCA12	CM4551STI12
1/2" (12.5 mm)	CM4552SBK12 SP	CM4552SCA12	CM4552STI12



A Anodized Aluminum



DUAL-PURPOSE DECORATIVE EDGING


Pack Size: 6 pcs

Dual-Purpose Decorative Edging for use with countertops, raised platforms and stairs. Versatile profile can be used with both 3/8" (10 mm) and 1/2" (12.5 mm) tile. Pre-punched for easy setting into mortar.









A Anodized Aluminum




COUNTERTOP/STAIR NOSING

Pack Size: 6 pcs

Countertop/Stair Nosing provides a decorative finish while protecting the edge of tile or stone from chips and dents. The curved top provides a round edge for a smooth, clean appearance. Meets building code for use on stairs and is pre-punched for easy setting into mortar.







- A Anodized Aluminum
- Denotes ADA-compliant profiles


COUNTERTOP CORNER

Pack Size: 1 pc

Countertop Inside & Outside Corners to be used with the Countertop/Stair Nosing profile. Provides a protective corner edge and finished look.

SIZE (OUTSIDE CORNER)	ALUMINUM FINISH/PART NO.	
Height (H)	Satin Clear Anodized (SCA)	Satin Titanium (STI)
3/8" (10 mm)	CM4152SCAOCR	CM4152STIOCR
1/2" (12.5 mm)	CM4153SCAOCR	CM4153STIOCR
SIZE (INSIDE CORNER)	ALUMINUM FINISH/PART NO.	
Height (H)	Satin Clear Anodized (SCA)	Satin Titanium (STI)
3/8" (10 mm)	CM4152SCAICR	CM4152SCAICR
1/2" (12.5 mm)	CM4153SCAICR	CM4153SCAICR






A Anodized Aluminum








- A Anodized Aluminum
- P PRO-COAT™ Powder Coat Aluminum





T-Molding can be used between ceramic, hardwood, laminate and LVT/LVP floors of equal heights and where expansion is expected to occur over time.



T-MOLDING REDUCER

Pack Size: 12 pcs

T-Molding Reducer is the perfect choice for flooring applications of unequal heights and where expansion is expected. Thin profile can be used to fill an expansion joint while the sleek top face creates a smooth transition between ceramic, hardwood, laminate and LVT/LVP floors. The profile reduces down by 1/8" (3 mm) to accommodate other flooring material.







A Anodized Aluminum

ADA Denotes ADA-compliant profiles



ANTI-SKID STAIR NOSING

Pack Size: 5 pcs

Anti-Skid Stair Nosing for stairways with high traffic and/or wet areas. Vinyl insert is placed into the aluminum base to form a sturdy, long-lasting stair nose. Can be used in heavy-duty commercial applications.


Vinyl insert included (replacements sold separately).

LENGTH: 8 ft. (2.4	VINYL INSERT COLORS/PART NO.																												
Height (H)	Width (W)	Ве	Beige (BGE) Black (BLK) I		Black (BLK)		own (BRN)	Gr	ey (GRY)																				
3/8" (10 mm)	1-1/8" (29 mm)		CM4071BGE08		CM4071BLK08		CM4071BRN08		CM4071GRY08																				
1/2" (12.5 mm)	1-1/8" (29 mm)		CM4072BGE08		CM4072BLK08		CM4072BRN08		CM4072GRY08																				

Replacement Vinyl Insert

LENGTH: 8 ft. (2.4	m)	VINYL INSERT COLORS/PART NO.								
Height (H)	Width (W)	Ве	ige (BGE)	(BGE) Black (BLK)		Brown (BRN)			ey (GRY)	
3/8" (10 mm)	1" (25 mm)		CM4071BGE08V		CM4071BLK08V		CM4071BRN08V		CM4071GRY08V	
1/2" (12.5 mm)	1" (25 mm)		CM4072BGE08V		CM4072BLK08V		CM4072BRN08V		CM4072GRY08V	





CERAMIC EDGE PROTECTION RAMP


Pack Size: 5 pcs

 $\label{thm:covering} \textbf{Ceramic Edge Protection Ramp helps transition the edges of adjoining floor covering surfaces of unequal height.}$

LENGTH: 8 ft. (2.4 m)	ALUMINUM FINISH/PART NO.
Height (H)	Mill Finish (MIL)
3/8" (10 mm) (DA	CM2551MIL08
1/2" (12.5 mm)	CM2552MIL08









STAINLESS STEEL TILE EDGE

The solid 304 stainless steel tile trims and corners offered within the PROVA TILE EDGE® program provide strength and durability for numerous applications without sacrificing style or finishing flare with a subtly brushed finish. Stainless steel trims are typically selected for more challenging applications where aluminum just won't do the trick. Exterior, wet and/or sanitary environments most commonly call for stainless steel due to the unique rust-resistant and inert properties of this material.



FLAT TILE EDGE	Pack Size: 5 pcs
Stainless Steel Flat Tile Edge protects tile from of for other flooring materials. Made of solid stainle applications. Prevents tiles from chipping and is	ess steel for wet areas, outdoor and commercial
LENGTH: 8 ft. (2.4 m)	FINISH/PART NO.
Height (H)	Stainless Steel (STS)
3/8" (10 mm)	CM2141STS08
1/2" (12.5 mm)	CM2142STS08



ROUND TILF FDGF

Pack Size: 5 pcs

Stainless Steel Round Tile Edge protects tile from damage while providing a finished butting edge for other materials. Made of solid stainless steel for wet areas, outdoor and commercial applications. Can be used on walls, floors, countertops, and backsplashes. Prevents tiles from chipping and is prepunched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)	FINISH/PART NO.
Height (H)	Stainless Steel (STS)
3/8" (10 mm)	CM2241STS08
1/2" (12.5 mm)	CM2242STS08







ROUND CORNERS

Pack Size: 5 pcs

Stainless Steel Round Inside and Outside Corner accessories used to finish and protect tile edges and join two pieces of round tile edge at a 90° angle.

BULK		FINISH/PART NO.				
Height (H)	Application	Sta	ainless Steel (STS)			
3/8" (10 mm)	Outside		CM2241STSORC			
1/2" (12.5 mm)	Outside		CM2242STSORC			
3/8" (10 mm)	Inside		CM2241STSIRC			
1/2" (12.5 mm)	Inside		CM2242STSIRC			

PACKAGED		FINISH/PART NO.			
Height (H)	Application	St	ainless Steel (STS)		
3/8" (10 mm)	Outside		ET2241STSORC		
1/2" (12.5 mm)	Outside		ET2242STSORC		
3/8" (10 mm)	Inside		ET2241STSIRC		
1/2" (12.5 mm)	Inside		ET2242STSIRC		







OUTSIDE CORNER

INSIDE CORNER











Stainless Steel Square Tile Edge provides a sleek, contemporary look to finish and protect the outer edge of exposed tile. Can be used on walls, floors, countertops, and backsplashes. This profile can also be used as an accent with feature strip or listello border. Prevents tiles from chipping and is prepunched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)	FINISH/PART NO.
Height (H)	Stainless Steel (STS)
3/8" (10 mm)	CM2341STS08
1/2" (12.5 mm)	CM2342STS08





Stainless Steel Square Inside and Outside Corner accessories are used to finish and protect tile edges and join two pieces of square tile edge at a 90° angle.





PACKAGED			FINISH/PART NO.			
Height (H)	Application		ainless Steel (STS)			
3/8" (10 mm)	Outside		ET2341STSORC			
1/2" (12.5 mm)	Outside		ET2342STSORC			
3/8" (10 mm)	Inside		ET2341STSIRC			
1/2" (12.5 mm)	Inside		ET2342STSIRC			








OUTSIDE CORNER







PVC TILE EDGE

PVC tile edge is ideal for finishing tiled surfaces, due to its durability, versatility, and great value. The PVC line of PROVA TILE EDGE profiles cut easily, protect tile from chipping, and provide functional finishing for tiled surfaces. The heavy-duty profiles can also be used on floors to protect tiles exposed to foot traffic. PVC tile edge is resistant to weather, UV rays, and most household cleaning products, making them a great option for your next project.


VINYL TILE EDGE Pack Size: 50 pcs

Vinyl (PVC) Tile Edge is great for use around bathtubs, windows, backsplahes and more. Can also be used to eliminate mitering of tiles at corners, such as in step-up tubs. Pre-punched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)		RIGID VINYL COLORS/PART NO.						
Height (H)	Width (W)	Beige (BGE)		Bla	ack (BLK)	Bone (BON)		
3/16" (4.5 mm)	1" (25 mm)		N/A		CT1034BLK08		CT1034B0N08	
1/4" (6 mm)	7/8" (22 mm)		CT1036BGE08		CT1036BLK08		CT1036B0N08	
3/8" (10 mm)	1" (25 mm)		CT1039BGE08		CT1039BLK08		CT1039BON08	
1/2" (12.5 mm)	1" (25 mm)		CT1085BGE08		CT1085BLK08		CT1085B0N08	
Height (H)	Width (W)	Gr	ey (GRY)	WI	nite (WHT)			
3/16" (4.5 mm)	1" (25 mm)		CT1034GRY08		CT1034WHT08			
1/4" (6 mm)	7/8" (22 mm)		CT1036GRY08		CT1036WHT08			
3/8" (10 mm)	1" (25 mm)		CT1039GRY08		CT1039WHT08			
1/2" (12.5 mm)	1" (25 mm)		CT1085GRY08		CT1085WHT08			

















Vinyl (PVC) J-Cap can be used as a tile edge around bathtubs, windows, backsplashes, and more.

LENGTH: 8 ft. (2.4 m)		RIGID VINYL COLORS/PART NO.					
Height (H)	Width (W) BONE (BON)		Width (W) BONE (BON)		BONE (BON)		nite (WHT)
3/16" (4.5 mm)	5/8" (16 mm)		CT1024B0N08		CT1024WHT08		
1/4" (6 mm)	3/4" (19 mm)		CT1025BON08		CT1025WHT08		
3/8" (10 mm)	3/4" (19 mm)		CT1026BON08		CT1025WHT08		







Co-extruded from rigid and flexible PVC, the Expansion Joint profile is perfect for use in tiled floor applications where flexibility is required to account for substrate movement. Ideal for use in lightduty commercial applications to protect tile from cracking. Resistant to weather, UV rays, and most household cleaning products.

Also available in Aluminum on page 48.

LENGTH: 8 ft. (2.4 m)	VINYL INSERT COLORS/PART NO.
Height (H)	Grey (GRY)
3/8" (10 mm)	CM3071GRY08
1/2" (12.5 mm)	CM3072GRY08




HFAVY-DUTY VINYI FDGF - FLAT

Pack Size: 50 pcs

Flat Heavy-Duty Vinyl Tile Edge is great for use around bathtubs, windows, backsplahes and more. This flat, durable profile can be used on floor tile where thinner products may not stand up to heavy traffic. Pre-punched for easy setting into mortar.


LENGTH: 8 ft. (2.4 m)	RIGID VINYL COLORS/PART NO.		
Height (H)	Beige (BGE)	Black (BLK)	
1/4" (6 mm)	CT1076BGE08	CT1076BLK08	
5/16" (8 mm)	CT1078BGE08	CT1078BLK08	
3/8" (10 mm)	CT1080BGE08	CT1080BLK08	
Height (H)	Bone (BON)	Grey (GRY)	
1/4" (6 mm)	CT1076BON08	CT1076GRY08	
5/16" (8 mm)	CT1078BON08	CT1078GRY08	
3/8" (10 mm)	CT1080BON08	CT1080GRY08	
Height (H)	White (WHT)		
1/4" (6 mm)	CT1076WHT08		
5/16" (8 mm)	CT1078WHT08		
3/8" (10 mm)	CT1080WHT08		











HEAVY DUTY VINYL EDGE - ROUND

Pack Size: 10 pcs

Round Heavy-Duty Vinyl Tile Edge is great for use around bathtubs, windows, backsplahes and more. This round, durable profile can be used on floor tile where thinner products may not stand up to heavy traffic. Pre-punched for easy setting into mortar.

LENGTH: 8 ft. (2.4 m)	RIGID VINYL COLORS/PART N	10.	
Height (H)	Beige (BGE)	Black (BLK)	Bone (BON)
5/16" (8 mm)	CT1058BGE08	CT1058BLK08	CT1058BON08
3/8" (10 mm)	CT1090BGE08	CT1090BLK08	CT1090B0N08
Height (H)	Grey (GRY)	White (WHT)	
5/16" (8 mm)	CT1058GRY08	CT1058WHT08	
3/8" (10 mm)	CT1090GRY08	CT1090WHT08	



HFAVY-DUTY VINYL FDGF - ROUND CORNERS

Pack Size: 10 pcs

Round inside and outside corner accessories are used to finish and protect edges of tile and join two pieces of round tile edge at a 90° angle.

BULK		RIGID VINYL COLORS/PART N	NO.	
Height (H)	Application	Beige (BGE)	Black (BLK)	Bone (BON)
3/8" (10 mm)	Outside	CT1090BGEOCR	CT1090BLKOCR	CT1090BONOCR
Height (H)	Application	Grey (GRY)	White (WHT)	
3/8" (10 mm)	Outside	CT1090GRYOCR	CT1090WHTOCR	
BULK		RIGID VINYL COLORS/PART	NO.	
Height (H)	Application	Beige (BGE)	Black (BLK)	Bone (BON)
3/8" (10 mm)	Inside	CT1090BGEICR	CT1090BLKICR	CT1090BONICR
Height (H)	Application	Grey (GRY)	White (WHT)	
3/8" (10 mm)	Inside	CT1090GRYICR	CT1090WHTICR	
PACKAGED		RIGID VINYL COLORS/PART N	NO.	
Height (H)	Application	Beige (BGE)	Black (BLK)	Bone (BON)
3/8" (10 mm)	Outside	ET1090BGEOCR	ET1090BLKOCR	ET1090BONOCR
Height (H)		Grey (GRY)	White (WHT)	
3/8" (10 mm)	Outside	ET1090GRYOCR	ET1090WHTOCR	
PACKAGED		RIGID VINYL COLORS/PART N	NO.	
Height (H)	Application	Beige (BGE)	Black (BLK)	Bone (BON)
3/8" (10 mm)	Inside	ET1090BGEICR	ET1090BLKICR	ET1090BONICR
Height (H)	Application	Grey (GRY)	White (WHT)	
3/8" (10 mm)	Inside	ET1090GRYICR	ET1090WHTICR	







OUTSIDE CORNER


INSIDE CORNER







ALUMININUM FINISHES*



PVC/VINYL INSERT COLORS*

BGE	BLK	BON	BRN	GRY	WHT	
Beige	Black	Bone	Brown	Grey	White	

STAINLESS STEEL*



Brushed Stainless Steel

*Notes: Colours may not appear exactly as shown. Please request sample prior to placing an order. Additionally, due to the corrosive and caustic nature of certain ingredients in many grouts, it is imperative that any residue be immediately removed from the surface of the trim to prevent discoloration.

**Disclaimer: DO NOT USE MILL FINISH IN WET AREAS. MILL product is aluminum in its raw state, therefore there is a high risk of oxidization on the product and staining on the tile and/or grout when it is used in wet areas.



PROVA® WARRANTIES

PROVA® Tile Installation and Waterproofing Product Warranties provide a simple and efficient method for securing warranty coverage on all your PROVA® purchases. Our straightforward eligibility requirements and transparent conditions ensure the peace of mind you expect from a warranty without the overcomplicated warranty language.

Warranty Overview

Find the right PROVA® Tile Installation and Waterproofing product warranty for your purchase below. PROVA® offers both variable term and lifetime warranties, each offering several advantages that set them apart.

The PROVA® Limited Product Warranty:

- Applies to manufacturing defects found on standalone PROVA® products
- · Allows for the use of any ANSI A118.4 premium polymer-modified thinset mortar
- Assures competitive coverage for standalone PROVA® products in variable term lengths

The PROVA® Limited Lifetime Installation Warranty:

- Applies to a variety of product systems: PROVA-SHOWER® system, PROVA® Underlayment system, PROVA-MAT® system, or PROVA BOARD® system
- · Allows for the use of any ANSI A118.15 premium polymer-modified thinset mortar
- Encourages installers to take full advantage of flexible, comprehensive PROVA® product systems with the confidence that their installation will last a lifetime

PROVA® Tile Installation and Waterproofing Products Limited Warranties

PROVA® Limited Warranty	Warranty Type	Warranty Duration
PROVA® Tile intallation Products	Lifetime Installation Warranty	Lifetime
PROVA® Waterproofing and Shower Products	Product Warranty	10 years
PROVA TILE EDGE®	Product Warranty	5 years
PROVA® Underlayment Products	Product Warranty	50 years

Warranty Registration Information and Exclusions

Registering your PROVA® products for warranty coverage is a simple, two-step process:

- 1. Purchase qualifying products.
- 2. Complete the appropriate registration form for your products which can be found at mdpro.com/prova/warranty within 60 days of the date of purchase. Please note that this is required to qualify for the PROVA® Tile Installation Products Limited Lifetime Warranty and encouraged for all product warranties.

Warranty Claim Information and Exclusions

To file a claim for qualifying PROVA® products and systems, simply complete the appropriate warranty claim document – which can be found at **mdpro.com/prova/warranty** - within 30 days of the alleged manufacturing defect presenting itself.

For full warranty details and exclusions, please review the warranty documents that came included with your products or visit our website at **mdpro.com/prova/warranty**.



		CM2150PTI0843	CM2154PGY0843	CM2249BCL0844	CM2352BCL08	46
C		CM2150SAB0842	CM2154PTI0843	CM2249MIL0844	CM2352BCLCR	
CM1156BBR08	54	CM2150SAB1241	CM2154SBK0842	CM2249SAB0844	CM2352SCA08	
CM1156BCL08		CM2150SBK0842	CM2154SCA0842	CM2249SCA0844	CM2352SCACR	
CM1156MIL08		CM2150SBK1241	CM2154SCP0842	CM2249SGA0844	CM2352STI08	46
CM1156PBK08		CM2150SCA0842	CM2154STI0842	CM2249STI0844	CM2352WHT08	46
CM1156SCA08	54	CM2150SCA1241	CM2155BCL0842	CM2250BBR0844	CM2400BCLICR	
CM1156SCP08		CM2150SCP0842	CM2155BTI0843	CM2250BCL0844	CM2400BCLOCR	47
CM1156SDB08		CM2150SDB0842	CM2155MIL0842	CM2250MIL0844	CM2400SCAICR	47
CM1156SGA08		CM2150SGA0842	CM2155PBG0843	CM2250PBG0844	CM2400SCAOCR	47
CM1156STI08		CM2150STI0842	CM2155PBK0843	CM2250PBK0844	CM2450BCL08	47
CM1158SCA08		CM2150STI1241	CM2155PGY0843	CM2250PGY0844	CM2450SCA08	47
CM1158STI08		CM2150WHT0843	CM2155PTI0843	CM2250PTI0844	CM2450STI08	47
CM1159SCA09		CM2150WHT1241	CM2155SBK0842	CM2250SAB0844	CM2451BCL08	47
CM1159STI09		CM2151BAB0843	CM2155SCA0842	CM2250SBK0844	CM2451SCA08	47
CM1160SCA09		CM2151BAB0843	CM2155SCP0842	CM2250SCA0844	CM2451STI08	47
CM1160STI09		CM2151BBR0842	CM2155STI0842	CM2250SCP0844	CM2452BCL08	47
CM2130BBR08		CM2151BCL0842	CM2160PTI0849	CM2250SDB0844	CM2452SCA08	47
CM2130BCL08		CM2151BCL1241	CM2161PTI0849	CM2250SGA0844	CM2452STI08	
CM2130MIL08		CM2151BTI0843	CM2162PBG0849	CM2250STI0844	CM2551MIL08	
CM2130SCA08		CM2151MIL0842	CM2162PTI0849	CM2251BBR0844	CM2552MIL08	55
CM2130SCP08		CM2151PBG0843	CM2170BCL0850	CM2251BCL0844	CM3071GRY08	
CM2130STI08		CM2151PBK0843	CM2170MII 0850	CM2251MII 08	CM3072GRY08	
CM2135BCL08		CM2151PGY0843	CM2170PBK0850	CM2251PBG0844	CM4050HAB06	
CM2135MIL08		CM2151PTI0843	CM2170PGY0850	CM2251PBK0844	CM4050HAB12	
		CM2151SAB0842	CM2170PTI0850	CM2251PGY0844	CM4050HBB06	
CM2135SCA08		CM2151SAB0841	CM2170SAB0850	CM2251PTI0844	CM4050HBB12	
CM2135SGA08		CM2151SAB1241 CM2151SBK0842	CM2170SBK0850	CM2251SAB0844	CM4050HBC06	
CM2135STI08		CM2151SBK0642 CM2151SBK1241	CM2170SCA0850	CM2251SAB0844 CM2251SBK0844	CM4050HBC12	
CM2136BBR08		CM2151SBK1241 CM2151SCA0842	CM2170SCP0850	CM2251SBR0844 CM2251SCA0844	CM4050HCA06	
CM2136BCL08						
CM2136MIL08		CM2151SCA1241	CM2170SDB0850	CM2251SCP0844	CM4050HCA12	
CM2136SCA08		CM2151SCP0842	CM2170SGA0850	CM2251SDB0844	CM4050HTI06	
CM2136SGA08		CM2151SDB0842	CM2170STI0850	CM2251STI0844	CM4050HTI12	
CM2136STI08		CM2151SGA0842	CM2171BBR0850	CM2251WHT0844	CM4051HAB06	
CM2141STS08		CM2151STI0842	CM2171BCL0850	CM2252BBR0844	CM4051HAB12	
CM2142STS08		CM2151STI1241	CM2171MIL0850	CM2252BCL0844	CM4051HBC06	
CM2148MIL08		CM2151WHT0843	CM2171PBK0850	CM2252MIL0844	CM4051HBC12	
CM2148PTI08		CM2151WHT1241	CM2171PGY0850	CM2252PBG0844	CM4051HCA06	
CM2148SCA08		CM2152BAB0843	CM2171PTI0850	CM2252PBK0844	CM4051HCA12	
CM2148STI08	42	CM2152BAB0843	CM2171SAB0850	CM2252PGY0844	CM4051HDB06	
CM2149BAB08	43	CM2152BBR0842	CM2171SBK0850	CM2252PTI0844	CM4051HDB12	
CM2149BAB08	43	CM2152BCL0842	CM2171SCA0850	CM2252SAB0844	CM4051HGA06	
CM2149BCL08	42	CM2152BCL1241	CM2171SCP0850	CM2252SBK0844	CM4051HGA12	
CM2149BTI08	43	CM2152BTI0843	CM2171SDB0850	CM2252SCA0844	CM4051HTI06	
CM2149MIL08	42	CM2152MIL0842	CM2171SGA0850	CM2252SCP0844	CM4051HTI12	
CM2149PBG08	43	CM2152PBG0843	CM2171STI0850	CM2252SDB0844	CM4052HAB06	51
CM2149PBK08	43	CM2152PBK0843	CM2172BBR0850	CM2252STI0844	CM4052HAB12	51
CM2149PGY08	43	CM2152PGY0843	CM2172BCL0850	CM2252WHT0844	CM4052HBC06	51
CM2149PTI08	43	CM2152PTI0843	CM2172MIL0850	CM2341STS0858	CM4052HBC12	51
CM2149SAB08	42	CM2152SAB0842	CM2172PBG0850	CM2341STSIRC58	CM4052HCA06	51
CM2149SBK08	42	CM2152SAB1241	CM2172PBK0850	CM2341STSORC58	CM4052HCA12	51
CM2149SCA08	42	CM2152SBK0842	CM2172PGY0850	CM2342STS0858	CM4052HDB06	51
CM2149SCP08	42	CM2152SBK1241	CM2172PTI0850	CM2342STSIRC58	CM4052HDB12	51
CM2149SDB08	42	CM2152SCA0842	CM2172SAB0850	CM2342STSORC58	CM4052HTI06	51
CM2149SGA08	42	CM2152SCA1241	CM2172SBK0850	CM2350BCL0846	CM4052HTI12	51
CM2149STI08		CM2152SCP0842	CM2172SCA0850	CM2350BCLCR46	CM4071BGE08	55
CM2149WHT08		CM2152SDB0842	CM2172SCP0850	CM2350SAB0846	CM4071BGE08V	55
CM2150BAB08		CM2152SGA0842	CM2172SDB0850	CM2350SCA0846	CM4071BLK08	55
CM2150BAB08		CM2152STI0842	CM2172SGA0850	CM2350SCACR46	CM4071BLK08V	55
CM2150BBR08		CM2152STI1241	CM2172STI0850	CM2350STI0846	CM4071BRN08	55
CM2150BCL08		CM2152WHT0843	CM2241STS0857	CM2351BCL0846	CM4071BRN08V	
CM2150BCL12		CM2152WHT1241	CM2241STSIRC57	CM2351BCLCR46	CM4071GRY08	
CM2150BTI08		CM2154BCL0842	CM2241STSORC57	CM2351SAB0846	CM4071GRY08V	
CM2150MIL08		CM2154BTI0843	CM2242STS0857	CM2351SCA0846	CM4072BGE08	
CM2150PBG08		CM2154MIL0842	CM2242STSIRC57	CM2351SCACR46	CM4072BGE08V	
CM2150PBK08		CM2154PBG0843	CM2242STSORC57	CM2351STI0846	CM4072BLK08	
CM2150PGY08		CM2154PBK0843	CM2249BBR0844	CM2351WHT0846	CM4072BLK08V	
OHIE1001 0100						



CM4072BRN08	55	CM5212PBGOC4
CM4072BRN08V	55	CM5212PBKIC45
CM4072GRY08	55	CM5212PBKOC45
CM4072GRY08V	55	CM5212PGYIC45
CM4151BCL08	52	CM5212PGYOC45
CM4151CAP08		CM5212PTIIC45
CM4151SBK08	52	CM5212PTIOC45
CM4151SCA08	52	CM5212SABIC45
CM4151SDB08	52	CM5212SABOC45
CM4151STI08		CM5212SCAIC45
CM4152SCA08		CM5212SCAOCR45
CM4152SCAICR		CT1024B0N0860
CM4152SCAICR	53	CT1024WHT0860
CM4152SCAOCR	53	CT1025BON0860
CM4152STI08		CT1025WHT0860
CM4152STIOCR		CT1025WHT0860
CM4153SCA08	53	CT1026B0N0860
CM4153SCAICR		CT1034BLK0859
CM4153SCAICR		CT1034B0N0859
CM4153SCAOCR		CT1034GRY0859
CM4153STI08		CT1034WHT0859
CM4153STIOCR		CT1036BGE0859
CM4251HAB06		CT1036BLK0859
CM4251HAB12		CT1036B0N0859
CM4251HBC06		CT1036GRY0859
CM4251HBC12	51	CT1036WHT0859
CM4251HBK06	51	CT1039BGE0859
CM4251HBK12	51	CT1039BLK0859
CM4251HCA06	51	CT1039B0N0859
CM4251HCA12		CT1039GRY0859
CM4251HDB06	51	CT1039WHT0859
CM4251HDB12	51	CT1058BGE0862
CM4251HGA06	51	CT1058BLK0862
CM4251HGA12		CT1058BON0862
CM4251HTI06	51	CT1058GRY0862
CM4251HTI12		CT1058WHT0862
CM4551SBK12		CT1076BGE0861
CM4551SCA12		CT1076BLK0861
CM4551STI12		CT1076B0N0861
CM4552SBK12		CT1076GRY0861
CM4552SCA12		CT1076WHT0861
CM4552STI12		CT1078BGE0861
CM5008PBGIC		CT1078BLK0861
CM5008PBGOC		CT1078BON0861
CM5008PBKIC		CT1078GRY0861
CM5008PBK0C		CT1078WHT0861
CM5008PGYIC		CT1080BGE0861
CM5008PGYOC		CT1080BLK0861
CM5008PTIIC		CT1080B0N0861
CM5008PTIOC		CT1080GRY0861
CM5008SABIC		CT1080WHT0861
CM5008SABOC		CT1085BGE0859
CM5008SCAIC		CT1085BLK0859
CM5008SCAOCR		CT1085BON0859
CM5110PBGIC		CT1085GRY0859
CM5110PBGOC		CT1085WHT0859
CM5110PBKIC		CT1090BGE0862
CM5110PBK0C		CT1090BGEICR
CM5110PGYIC		CT1090BGEOCR
CM5110PGYOC		CT1090BLK0862
CM5110PTIIC		CT1090BLKICR63
CM5110PTIOC		CT1090BLK0CR63
CM5110SABIC		CT1090B0N0862
CM5110SABOC		CT1090B0NICR63
CM5110SCAIC		CT1090B0N0CR63
CM5110SCAOCR		CT1090GRY0862
CM5212PBGIC	45	CT1090GRYICR63

TT8006RED0536

TT8823PBK12CR.....

.....31

CT1090GRYOCR	63	TT8006RED10	36
CT1090WHT08	62	TT8006RED15	36
CT1090WHTICR	63	TT8008PAN04	8
CT1090WHTOCR	63	TT8011EXT04	9
e de la companya de		TT8012CRB60	9
Е		TT8013PAN02	8
ET1090BGEICR		TT8015CRB48	
ET1090BGEOCR		TT8017FSN04	
ET1090BLKICR		TT8019SCR03B	
ET1090BLKOCR		TT8020SCR02B	
ET1090BONICR		TT8021WSH01B	
ET1090BONOCR		TT8022SCR02B	
ET1090GRYICR		TT8023WSH01B	
ET1090GRYOCR		TT8024NZL02	
ET1090WHTICR		TT8024NZL20	
ET1090WHTOCR		TT8024NZL50CAN	
ET2241STSIRC		TT8024NZL50US	
		TT8038PAN01	
ET2242STSIRC		TT8038PAN02 TT8048CRB01	
ET2341STSIRC		TT8048EXT02	
ET2341STSORC		TT8048PAN01	
ET2342STSIRC		TT8060CRB01	
ET2342STSORC		TT8102REDPS	
ET2350BCLCR		TT8102REDPSB	
ET2350SCACR		TT8105N0G03	
ET2351BCLCR		TT8105STS03	
ET2351SCACR		TT8113PAN02	
ET2352BCLCR	46	TT8114PAN05	17
ET2352SCACR	46	TT8115EXT04	17
ET2400BCLICR	47	TT8138PAN01	14
ET2400BCLOCR	47	TT8138PAN02	14
ET2400SCAICR	47		1.4
E124003CAICR	4/	TT8148PAN01	14
ET2400SCAOCR		TT8148PAN01	
ET2400SCAOCR			11
P ET2400SCAOCR	47	TT8204BLK04 TT8204BRS04 TT8204BRZ04	11 11
P PBS10FLOZCDN	32	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04	11
P PBS10FLOZCDN PBS10FLOZUS	32	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04	1111111111
P PBS10FLOZCDN PBS20FLOZCDN	32323232	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04	1111111111
PPBS10FL0ZCDNPBS10FL0ZCDNPBS20FL0ZCDN PBS20FL0ZCDN PBS20FL0ZUS	32 32 32 32	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05	11 11 11 11 11
P P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P P S 20 F L O Z C D N P	32 32 32 32 32 26	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05	11 11 11 11 11 11
PBS10FL0ZCDN	32 32 32 32 32 32 26	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04	11 11 11 11 11 6 6
PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZCDN PBS20FL0ZCDN PVBP24X48X12 PVBP24X96X20 PVBP36X60X05	4732323232322626	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223GLD04	11 11 11 11 11 6 6 6
PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZCDN PBS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05B	473232323232262626	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223GLD04 TT8223PBK04	11 11 11 11 6 6 6 13
PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PS20FL0ZCDN PBS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X25	4732323232322626262626	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8209STS05 TT8209STS05 TT8223CRM04 TT8223CBLD04 TT8223PBK04 TT8223STS04	11 11 11 11 11 6 6 13 13
PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZCDN PBS20FL0ZCDN PBS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05	473232323232262626262626	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRH04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CLD04 TT8223PBK04 TT8223TS04 TT8223TS04 TT8223TS04	1111111111661313131313
PBS10FL0ZCDN	47323232323226262626262626	TT8204BLK04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223CLD04 TT8223FBK04 TT8223TS04 TT8223TS04 TT8224CRM04 TT8224GLD04	1111111111116661313131313131212
PP PBS10FL0ZCDN	473232323232262626262626262626	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223GLD04 TT8223FBK04 TT8223STS04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04	11111111111313131212
PP PBS10FL0ZCDN	473232323226262626262626262626	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223PBK04 TT8223FBK04 TT8224CRM04 TT8224CRM04 TT8224STS04 TT8224STS04 TT8224STS04	1111111111131313121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X55 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05B	473232323226262626262626262626	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS05 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223STS04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04	1111111166131313121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05B	473232323226262626262626262727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8224CRM04 TT8224CRM04 TT8224FBK04 TT8224FBK04 TT8224FBK04 TT8224FBK04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04	11111111613131312121212
PPS10FL0ZCDN	473232323226262626262626262727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223BLD04 TT8223BLD04 TT8223HBK04 TT8224CRM04 TT8224CRM04 TT8224PBK04 TT8224PBK04 TT8224PBK04 TT8224PBK04 TT8224DD04 TT8224PBK04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8225DD04 TT8225GLD04 TT8225DD04	111111111166131313121212121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05B	473232323226262626262626262727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223TS04 TT8223TS04 TT8224CRM04 TT8224CRM04 TT8224FBK04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225TS04 TT8225CRM04 TT8225TS04	11111111116613131312121212121212
PPS10FL0ZCDN	47323232322626262626262727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223BLD04 TT8223BLD04 TT8223HBK04 TT8224CRM04 TT8224CRM04 TT8224PBK04 TT8224PBK04 TT8224PBK04 TT8224PBK04 TT8224DD04 TT8224PBK04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8224DD04 TT8225DD04 TT8225GLD04 TT8225DD04	11111111111313131212121212121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PVBP24X48X12 PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X25 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05B PVBP8008ABS PVBP8008ABS PVBP8008ABS PVBP8003ABS PVBP8013PVC	473232323226262626262626272727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8223FS04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225TS04 TT8225CRM04	1111111111131313121212121212121212121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PVBP24X48X12 PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05B PVBP48X96X05B PVBP48V96X05B PVBP8003PVC PVBP8003PVC TT TT8000RED82R	4732323232322626262626262627272727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRM04 TT8204STS04 TT8204STS05 TT8203STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223TS04 TT8224CRM04 TT8224CRM04 TT8225FBK04 TT8225CRM04 TT8225TS04 TT8225CRM04 TT8225CRM05 TT8306STS05	1111111313131212121212121212121212
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZCDN PBS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05 PVBP803ABS PVBP8003PVC T TT8000RED82R TT8001RED82R	4732323232262626262626262727272727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRM04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223CRM04 TT8223TS04 TT8224CRM04 TT8224CRM04 TT8225CRM04 TT8225CRM05 TT8306STS05 TT8309STS05	1111111313131212121212121212121212121216
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZCDN PBS20FL0ZUS PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05 PVBP8013PVC T TT8000RED82R TT8001RED82R TT8001RED82R	473232323226262626262627272727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204CRM04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223TS04 TT8224CRM04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225TS04 TT8225CRM04 TT8225TS04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM05 TT8309STS05 TT8309STS05 TT8409STS05	11111113131313121212121212121212121212
PP PBS10FL0ZCDN	47323232323226262626262727272727	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204CRM04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223GLD04 TT8223FBK04 TT8224CRM04 TT8224STS04 TT8224STS04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM04 TT8225CRM05 TT8205CRM06 TT8205CRM06 TT8205CRM06 TT8205CRM06 TT8205CRM06 TT8205CRM07 TT8205	11111113131312121212121212121212121212
PP PBS10FL0ZCDN	47	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225STS04 TT8225STS05 TT8205CRM04 TT8225TS06 TT8205CRM04 TT825CRM05 TT825CRM06 TT830CRM06	111111111113131312121212121212121212121212121212
ET2400SCAOCR P PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X48X12 PVBP24X96X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X00X25 PVBP36X0X05 PVBP36X0X05 PVBP36X0X05 PVBP36X00X25 PVBP36X0X05 PVBP36X0X05 PVBP36X0X05 PVBP36X0X05 PVBP36X0X05 PVBP48X96X05 PVBP48X96X05 PVBP48X96X05 PVBP803ABS PVBP8013PVC T TT8000RED82R TT8001RED25R TT8001RED25R TT8002RED10R TT8002RED10R TT8002RED15R TT8003INSCR TT8003INSCR TT8003UTCR	47	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225STS04 TT8225STS04 TT8205CRM04 TT8215CRM04 TT8215CRM04 TT8215CRM05 TT8205CRM06 TT8306STS05 TT8309STS05 TT8309STS05 TT8309STS05 TT8809NCH16 TT8800NCH16 TT8800NCH33 TT8801NCH24	111111111313131213
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP8008ABS PVBP8008ABS PVBP8003PVC TT8001RD02FB TT8001RED02FR TT8001RED02FR TT8001RED02FR TT8002RED02FR TT8002RED02FR TT8002RED02FR TT8003INSCR TT8003INSCR TT8003UTCR TT8003UTCR TT8004RED05	47	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRS04 TT8204CRM04 TT8204GRH04 TT8204STS04 TT8206STS05 TT8209STS05 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8224CRM04 TT8224STS04 TT8224STS04 TT8224CRM04 TT8224D04 TT8225TS04 TT8225CRM04 TT8225FBK04 TT8225STS04 TT825CRM05 TT8205CRM06 TT825CRM06 TT8300STS05 TT8409STS05 TT8409STS05 TT8800NCH16 TT8800NCH33 TT8801NCH24 TT8810GSS12	111111111613131212121212121212121212121212121212
PP PS10FL0ZCDN PS10FL0ZCDN PS10FL0ZCDN PS10FL0ZUS PS20FL0ZUS PVBP2CAVASY12 PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP36X60X05 PVBP48X96X05B PVBP36X60X05 PVBP48X96X05B PVBP36X60X05 PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP8008ABS PVBP8013PVC TT8000RED25R TT8001RED25R TT8001RED25R TT8002RED05R TT8002RED05R TT8002RED05R TT8002RED05R TT8003INSCR TT8003INSCR TT8003INSCR TT8003UTCR TT8004RED05 TT8004RED05 TT8004RED05 TT8004RED05 TT8004RED05 TT8004RED05 TT8004RED02R	47	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204STS05 TT8204STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223STS04 TT8223STS04 TT8224CRM04 TT8224CRM04 TT8225TS05 TT8205TS05 TT8309STS05 TT8409STS05 TT8800NCH16 TT8801NCH24 TT8810GSS12 TT8811NCH24 TT8823CRM12CR	1111111113131312
PP PBS10FL0ZCDN PBS10FL0ZCDN PBS10FL0ZUS PBS20FL0ZUS PS20FL0ZUS PVBP24X48X12 PVBP24X48X12 PVBP24X96X20 PVBP36X60X05 PVBP48X96X05B PVBP48X96X05B PVBP48X96X05B PVBP8008ABS PVBP8008ABS PVBP8003PVC TT8001RD02FB TT8001RED02FR TT8001RED02FR TT8001RED02FR TT8002RED02FR TT8002RED02FR TT8002RED02FR TT8003INSCR TT8003INSCR TT8003UTCR TT8003UTCR TT8004RED05	47	TT8204BLK04 TT8204BRS04 TT8204BRS04 TT8204BRZ04 TT8204CRM04 TT8204GRH04 TT8204STS05 TT8209STS05 TT8209STS05 TT8223CRM04 TT8223CRM04 TT8223CRM04 TT8223FBK04 TT8223FBK04 TT8224STS04 TT8224STS04 TT8224CRM04 TT8225CRM04 TT8225CRM04 TT8225STS05 TT809STS05 TT8306STS05 TT8309STS05 TT8409STS05 TT8809NCH16 TT880NCH24 TT8810GSS12 TT881NCH24 TT8810GSS12 TT8811NCH24 TT8810GSS12 TT8811NCH24 TT8823CRM12CR	1111111113131312

TT8823PBK12NH	2
TT8823STS12CR	
TT8823STS12NH	2
TT8824CRM12CR	3
TT8824CRM12NH	2
TT8824GLD12CR	3
TT8824GLD12NH	2
TT8824PBK12CR	3
TT8824PBK12NH	2
TT8824STS12CR	3
TT8824STS12NH	2
TT8825CRM12CR	3
TT8825CRM12NH	2
TT8825GLD12CR	3
TT8825GLD12NH	2
TT8825PBK12CR	3
TT8825PBK12NH	2
TT8825STS12CR	3
TT8825STS12NH	2
TT8900TNT24	2
TT8900TNT36	2
TT8900TNT42	2
TT8901PAN02	2
TT8902EXT02	2
TT8903CTR04	2
TT8903END02	2
TT8910STS24	2
TT8910STS36	2
TT8910STS42	2



